

LEITRIM COUNTY DEVELOPMENT PLAN 2023 - 2029
VOLUME IV – RECORD OF PROTECTED STRUCTURES



Comhairle Chontae Liatroma
Leitrim County Council

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
1	30924006	604278, 813732	Aghacashel	Detached country house built c.1800	Three-bay two-storey over raised basement country house with splayed stone steps to entrance. Hipped slate roof with terracotta ridge tiles, ashlar chimneystacks and cast-iron rainwater goods. Cut limestone walls with quoins and string course separating basement from ground floor level. Timber sash windows set in blind arches to ground floor with tooled limestone sills. Round-headed door opening with fluted stone surround and decorative fanlight. Multiple-bay two-storey outbuilding to rear yard with cut-stone carriage-arch opening. Ruined walled garden to east. Stone piers and wrought-iron gates to front site. House approached up tree-lined avenue.
2	30935002	602964, 794698	Aghamore	St Mary's Roman Catholic Church built in 1839	Detached single-cell with four-bay nave, central breakfront to gabled entrance elevation and single-storey sacristy to north-east. Pitched slate roof with profiled cast-iron rainwater goods, stone pinnacles and bellcote. Cut sandstone walls with ruled and lined render to south. Pointed-arched window openings with cut-stone surrounds, tooled sandstone sills and stained glass windows. Pointed-arched central door opening with stained glass over replacement timber doors flanked by pointed-arched door openings. Date plaque to breakfront. Graveyard with grave markers dating from the mid nineteenth century to present. Site enclosed by random coursed stone walls with decorative cast-iron gates flanked by ashlar gate piers.
3	30815012	600757, 796734	Annaduff	St Ann's Church of Ireland built in 1815	Detached with four-stage entrance tower to west end, three-bay nave and vestry. Pitched slate roof with pinnacles to angles and cast-iron rainwater goods. Castellated tower with pinnacles. Roughcast rendered walls with string courses to tower. Pointed-arched window openings to nave with tooled limestone surrounds and hood mouldings with replacement uPVC windows to long walls and original timber fixed windows to ends of west wall. Pointed-arched and square-headed window openings to tower with tooled limestone surrounds with louvered, replacement uPVC and original fixed pane windows. Pointed-arched door opening with chamfered tooled limestone surround, hood moulding and replacement timber double door, accessed up steps. Graveyard with grave

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
					markers dating from early-nineteenth century to the present and also Waldron family mausoleum. Stone outbuildings to graveyard. Site enclosed by random coursed wall with wrought-iron gates flanked by ashlar limestone gate piers. Ruin of medieval church in adjacent graveyard contains mausoleum.
4		618954, 800593	Corduff North	Church of Ireland, Aghavas	Church and school house
5	30803005	592674, 847802	Gubnageer	St Aidan's Roman Catholic Church built in 1831	Detached single-cell, with gabled sacristy and entrance porch added. Three-bays to nave. Pitched tiled roof with stone cross finials at gables. Roughcast render to walls with plinth and quoins. Pointed-arched openings with tooled sandstone surrounds. Replacement timber battened door with stained glass overlight. Stained glass windows with sandstone sills. Rose window to south elevation with hood moulding. Original entrance to south end with replacement timber battened door. Replacement door to porch. Interior with organ gallery to north end and altar to south. Square-ended chancel with exposed stone walls and open timber scissors roof trusses. Freestanding rendered bellcote with tiled pyramidal roof to north-west. Site accessed via stone clapper bridge with V-cutwaters.
6	30930001	621223, 804554	Druminshin Glebe	Former Glebe House built in 1813	Detached three-bay two-storey now in use as a farm house. Hipped slate roof with ashlar chimneystacks, cast-iron rainwater goods and a carved stone eaves course. Coursed cut limestone walls with rendered central breakfront with ashlar parapet and date plaque. Stone flat-arches to window openings with tooled stone sills and replacement uPVC windows. Paired timber sash windows to rear elevation. Central bow window and flanking wings removed c.1950. U-plan multiple-bay two-storey outbuildings enclose rear cobbled yard.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
7	30812010	623255, 802518	Bredagh	Carrigallen Roman Catholic Church built in 1846	Detached gable-fronted cruciform, two-bay nave, single-bay transepts and two-bay chancel. Single-storey extension to chancel and south transept. Pitched slate roof with ridge cresting tiles and stone cross finials. Pebbledashed walls with cut stone window and door surrounds. Lancet windows with stained glass. Timber battened door in pointed-arch opening surmounted by stained glass tympanum. Timber pews and organ gallery. Altar to east set within niche. Grave markers and cast-iron bell to graveyard. Site is bounded by rendered wall.
8	30812003	623045, 803116	Bredagh	Carrigallen Church of Ireland built in 1814	Detached single-cell Board of First Fruits style, three-bay nave with porch to south side and with three-stage tower to west having crenellations and pinnacles. Castellations to porch and to gable ends of nave. Pitched slate roof with ridge tiles. Roughcast rendered walls with tooled stone quoins and string courses to tower. Carved four-centred-arched door opening with block-and-start stone surround, hood moulding and timber battened double door. Flat-arched window openings with cut stone voussoirs, block-and-start surrounds and stone sills with replacement uPVC windows and traceried stained glass windows. Grave markers and ruin of fifteenth-century church to graveyard. Site enclosed by random stone wall with ashlar gate piers and cast-iron gates.
9		610424, 786877	Clooncumber	Church of Ireland	Church building at crossroads
10		590819, 829290	Gowlaun	Iron Works Smelter	A circular furnace with a square base which has four embrasures communicating with the bottom of the furnace. Iron slag adheres to the sides of the flue and there are remains of a spoil heap nearby. The base of a possible crane and the remains of some houses can also be seen.
11		594193, 824989	Killadiskert	Kilbride Roman Catholic Church	Rectangular structure built of mortared, randomly-coursed sandstone masonry with dressed quoins

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
12	30924003	601739, 808738	Roscarban	St Brigid's Roman Catholic Church built in 1781	Detached cruciform, with entrance tower to north and single-storey sacristy to south. Transepts added c.1890. Pitched slate roof with terracotta crested ridge tiles, carved stone crosses, cast-iron rainwater goods and rendered chimneystack to sacristy. Pyramidal slate roof to tower. Rendered walls with corbel course to tower. Pointed-arched door opening has a block-and-start tooled limestone surround and battened timber double door. Tudor-arched door openings to transepts with overlights and sandstone block-and-start door surrounds. Pointed-arched window openings to nave have tooled limestone block-and-start surrounds and stained glass timber sash windows. Stained glass rose window to south. Cast-iron bell with cast-iron frame on cut limestone supports to site. Graveyard with grave markers dating from the eighteenth century to present. Site enclosed by a stone wall and cast-iron gates and cut limestone piers. Refurbished c.1995.
13	30925002	619437, 812292	Cully	Drumreilly Church of Ireland built in 1737	Detached single-cell, with three-bay nave and porch to west end. Pitched tiled roof with stone bellcote, chimneystack and cast-iron rainwater goods. Pebbledashed walls with stone eaves course. Cast-iron double lancets with leaded lattice glazing and replacement timber windows to segmental-headed openings to nave with sandstone sills. Timber battened door. Variety of late medieval stone masks to elevations. Barrel-roofed stone mausoleum and eighteenth-century grave markers to graveyard. Built by William Gore Esq. Cast-iron gates with limestone piers and random coursed stone walls to site.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
14	30808022	597310, 810821	Drumshanbo	Methodist Church built in 1860	Detached single-cell gable-fronted three-bay with single-storey vestry to rear. Pitched tiled roof. Ashlar sandstone façade with pedimented gable with datestone. Pebbledashed side walls. Latticed stained glass lancets with tooled limestone surrounds. Timber sash windows to vestry in square-headed openings with tooled limestone block-and-start surrounds. Timber battened door with cast-iron hinges and a pointed-arched carved stone surround flanked by pointed-arched lancet windows with carved surrounds and stained glass. Link corridor connects chapel with adjacent former manse. Cast-iron railings and gates to front of site. Sandstone rubble wall to west of Church running parallel to stream.
15	30815001	599562, 797530	Drumsna	St Mary's Roman Catholic Church built in 1845	Detached gable-fronted single-cell with two-stage entrance bell tower and with two-storey extension to chancel end. Set within its own grounds. Pitched tiled roof with pinnacles and cast-iron cross finial. Castellations to front gable and tower and pinnacles to tower, with entrance porch to ground with date plaque above. Pebbledashed walls with ashlar limestone dressings. Stained glass windows and timber battened double door with stained glass tympanum in pointed-arched openings. Limestone hood mouldings to front façade and to tower. Blind windows to ground floor and louvred opes to first floor of tower. Grave markers to churchyard.
16		612096 790471	Farnaght	Farnaght Hall	
17	30811007	610740, 807539	Glebe	St Catherine's Church Of Ireland built in 1787	Detached four-bay double-height Board of First Fruits Church of Ireland; dated 1790, on a rectangular plan originally three-bay double-height single-cell comprising three-bay double-height nave opening into single-bay double-height chancel (east) with single-bay single-storey gabled projecting porch to entrance (west) front. Pitched slate roofs including pitched (gabled) slate roof (porch), clay ridge tiles with roll moulded clay ridge tiles (east), lichen-covered cut-limestone coping to gables on cut-limestone kneelers including cut-limestone coping to gable (porch) with pedimented bellcote to apex, and

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
					<p>cast-iron rainwater goods on cut-limestone eaves retaining cast-iron downpipes. Coursed rubble limestone battered walls with rough hewn limestone flush quoins to corners; snecked limestone walls (east) with drag edged cut-limestone flush quoins to corners. Pointed-arch window openings with cut-limestone sills, timber Y-mullions, and limestone ashlar voussoirs framing nine-over-nine timber sash windows having interlocking Y-tracery glazing bars. Pointed-arch window opening (east) with cut-limestone mullions, and cut-limestone block-and-start surround having chamfered reveals with hood moulding on monolithic labels stops framing iron mesh panels over fixed-pane fittings having leaded stained glass panels. Pointed-arch window opening (porch) with inscribed cut-limestone sill ("1790"), timber Y-mullion, and limestone ashlar voussoirs framing fixed-pane fittings having interlocking Y-tracery glazing bars. Interior including vestibule (west); pointed-arch door opening into nave with timber panelled double doors having overpanel; full-height interior open into roof with limestone flagged central aisle between timber pews, wind braced diagonal timber boarded ceiling on carved timber cornice, Gothic-style timber clerk's desk with Gothic-style timber panelled pulpit on an octagonal plan, and pointed-arch chancel arch framing stepped dais to chancel (east) with wrought iron-detailed barely twist balusters supporting carved timber communion railing centred on timber altar table below stained glass memorial "East Window" (1888). Set in landscaped grounds with lichen-spotted limestone ashlar piers to perimeter having stringcourses below shallow pyramidal capping supporting wrought iron double gate.</p>

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
18	30816031	608904, 796931	Mohill	St Mary's Church of Ireland built in 1815	Board of First Fruits style former Church of Ireland on the site of an earlier building. Three-bay nave with single-bay vestry to north side, four-stage entrance tower to west end with pinnacles and half-octagonal chancel to west end. Pitched slate roof with coping and cast-iron rainwater goods and with cross finials to gables. Roughcast render to walls with rendered plinth. Rendered walls with stone string courses and channelled ashlar quoins to tower. Replacement timber double door and overlight to drop-arched opening with tooled stone surround and hood moulding. Traceried and latticed stained glass windows to nave and transepts within tooled drop-arched surrounds with sills and traceried three-light window to chancel. Blind and louvred windows and clock to tower. Church surrounded by graveyard with variety of grave markers. Site bounded by stone wall with squared piers and cast-iron gates.
19	30904001	582986, 846125	Glenade	Glenade country house built in 1833	Detached three-bay single-storey over basement with Tuscan colonnade and portico to front elevation. Hipped slate roof with rendered chimneystacks, cast-iron rainwater goods and decorative modillions to eaves soffit. Ashlar limestone walls, random coursed to basement level. Timber sash windows and Wyatt windows to front elevation with tooled stone sills. Segmental-headed door opening with limestone surround, timber panelled door flanked by stained glass sidelights and with a decorative stained glass fanlight. Door opening set in Tuscan portico. Walled garden and ruined outbuildings to south-east of house. Glenade House is set in a parkland on the shores of Glenade Lough.
20	30912004	595419, 838888	Barrs West	Cornacloy Arch St Michael's RCC erected in 1852	Freestanding cut sandstone entrance gates with flanking walls and piers, incorporating a bellcote. Date plaque to wall. Decorative urns to gate piers and cut stone cross to bellcote. Pointed-segmental arch entrance with decorative wrought-iron gates.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
21	30814010	598084, 797497	Jamestown	Jamestown Roman Catholic Church built in 1812	Detached cruciform Roman Catholic church, built in 1812 as a private chapel and enlarged in 1843. Half-octagonal chancel at west end. Pitched slate roof with rendered bellcote to east and cast-iron rainwater goods. Pebbledashed walls with tooled limestone quoins and limestone eaves course. Tudor-arched door opening to north elevation with chamfered limestone surround and date plaque above. Flat-headed doorway in south wall of west end. Pointed-arched window openings with limestone surrounds, sills and replacement stained glass windows. Single-storey flat-roofed extension to east end.
22		586463, 831255	Killarga	Old Roman Catholic Church	This is the old Roman Catholic church of Killarga, which pre-dates the present church built in 1791. Built of coursed limestone mortared masonry walls with good quoins. There is an external plinth on the N wall and there are three round-arched, splayed window openings in the S wall. In the 1940s a round-headed doorway survived in the W wall and there was a single round-headed window in the N wall
23	30930003	625556, 807291	Killygar	Killegar Church of Ireland built in 1817	Detached single-cell, with three-bay nave, three-stage tower to the west and single-storey vestry. Pitched tiled roof to nave with stone chimneystack, limestone eaves course and cast-iron rainwater goods. Random coursed stone walls with tooled quoins and rendered pediment to east end. Pointed-arched window openings have tooled limestone surrounds and sills and decorative paired and traceried timber sash windows. Pointed-arched door opening to tower with tooled stone surround, timber battened double door and stone threshold. Door to sacristy has a red brick flat-arch. Castellated three-stage tower with pinnacles and string courses to first and second stage. Graveyard with grave markers dating from early-eighteenth century to present. Site enclosed by rendered wall and cast-iron gates flanked by carved stone piers.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
24	30930005	625925, 806504	Killygar	Killegar Country House built in 1813	Detached eight-bay two-storey country house, with basement level to rear elevation. Pitched slate roof with terracotta ridge tiles and ashlar chimneystacks. Two-bay pedimented breakfront to principal south-east-facing elevation with projecting end bays. Rendered walls with tooled stone string course to breakfront and end bays. Square-headed window openings with tooled limestone sills and timber sash windows, round-headed in blind arched openings in end bays. Derelict brick and cut stone entrance porch to north-east-facing side elevation with timber sash windows and timber panelled double door in flat-headed opening with decorative doorcase flanked by side lights. Round-headed door opening with timber and glazed door to garden elevation flanked by engaged Tuscan columns flanked by windows. Wrought-iron railings to basement. Plan altered c.1940 with the removal of two rooms. Fire in 1970 destroyed many of the principal rooms in the house. Pedimented multiple-bay two-storey outbuilding to cobbled yard. Limestone ashlar gate piers give access to rear yard.
25	30804015	597524, 845293	Kiltyclogher	Former Market House built in 1831	Detached three-bay two-storey former market and court house abutting house to south, built in 1831. Now used as a guest house and pre-school. Hipped tiled roof with over-sailing eaves. Coursed cut stone walls with tooled quoins, string course and cement-based strap pointing. Replacement timber casement windows with label mouldings and stone sills. Segmental-headed arcade with block and start surround and round-headed doorways timber and glazed door in east elevation. Timber panelled door serving upper floors to south-west with spoked fanlight. Plaque with Tottenham family coat of arms, inscription and date.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
26		586020, 840491	Lurganboy	Star Fort	This is a grass-covered square area with some mature deciduous trees defined by an earthen bank with three surviving diamond-shaped corner bastions defined by earthen banks built on a battered masonry plinth at the E, S and W angles. The N bastion has been levelled. There is a subrectangular area defined by earth and stone banks in the interior. A small modern church and graveyard enclosed within a mortared stone wall is built in the area of the N bastion.
27	30805026	588797, 839618	Manorhamilton	Church of Ireland built in 1783	Detached single-cell, four-bay nave with projecting three-stage castellated entrance tower to west gable with string course, carved pinnacles and spire. Tower is flanked by lancet windows of nave. Pitched slate roof with ashlar sandstone chimneystack, ridge tiles and cut sandstone eaves course. Roughly dressed sandstone and limestone walls laid to courses. Timber battened door with cast-iron furniture, set within pointed-arched opening with tooled sandstone surround and steps. Date plaque above door. Decorative shields with date over door with label moulding. Paired louvred windows to first stage of tower with label mouldings and pointed and triangular-headed windows with hood mouldings to upper stages. Traceried lancet windows to nave with tooled limestone surrounds, sills and hood mouldings. Traceried three-light window to east. Grave markers and memorials of differing materials and styles to surrounding graveyard. Three-bay single-storey sexton's house to south of church entrance gates. Church built on the site of the Old Barracks Square which was a star-shaped military fortification of c. 1700 with bastions.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
28	30805013	588562, 839490	Manorhamilton	Former Market House built in 1834	Detached three-bay two-storey gable-fronted former market house, set back from the road. Pitched roof with decorative cut stone chimneystack to rear. Ashlar façade with channelled rustication to ground floor and sandstone dressings and quoins. Rendered side and rear elevations. Carved stone coat of arms to tympanum of pediment displaying the motto 'Patriis Virtutibus' (by Ancestral Virtues). Timber sash windows. Entrance doorway to south end of façade. Central integral carriage arch with display window. Entrance door with stucco surround remains on façade from previous hardware store. Building flanked by tooled sandstone carriage arches with cast-iron gates leading to rear of site containing a number of outbuildings.
29		588798, 839625	Manorhamilton	Bastioned Fort	Situated on the highest point of a hill within Manorhamilton, it would have been just NE of the original town. This is a square enclosure with corner bastions defined by a coursed limestone masonry wall built on a plinth over bedrock.
30		588341, 839790	Manorhamilton	Hamilton's Castle	
31	30805033	589366, 839224	Donagh More	Former Railway Station built c.1880	Detached six-bay single-storey former railway station, built c.1880 as part of the Sligo, Leitrim and Northern Counties Railway. Now in use as a private dwelling, with extensions to rear. Replacement pantiled roof with yellow brick and cut stone and rendered chimneystacks. Limestone rock-faced walls with yellow brick quoins and plinth course. Segmental-headed openings with red and yellow brick surrounds. Replacement timber windows. Replacement timber and glazed door. Site bounded by rendered wall to front with garden to rear.
32		589322, 839118	Donagh More	Manorhamilton Mart	Manorhamilton Mart, Station Road, Manorhamilton

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
33	30805020	588587, 839509	Manorhamilton	Terraced three-bay three-storey house built in 1885, Gilbert's Pharmacy	Terraced three-bay three-storey house with shopfront and single-storey extension to rear. Pitched slate roof. Rendered walls with stucco quoins, plinth and shop surround. Plain stucco window surrounds with replacement timber windows. Replacement display window and door to shopfront. Decorative stone date plaque to facade. Stone outbuildings to rear of site.
34		588541, 839553	Manorhamilton	Former Ulster Bank building	
35	30805022	588535, 839559	Manorhamilton	Corner three-bay three-storey house with attic built c.1830, T.A. Golden	Pitched slate roof with cast-iron rainwater goods supported on stone corbels and ashlar chimneystacks. Cut random coursed limestone façade and rendered gable. Timber panelled door with brass door furniture, carved timber overlight and rendered surround to house door. Timber sash windows with tooled limestone block-and-start surrounds and stone sills. Replacement timber shopfront to ground floor with metal gate. Cutstone three-storey return with two-storey extension. Laneway to north elevation leading to rear yard with random stone outbuildings. Fronts directly onto the street.
36	30805024	588554, 839616	Manorhamilton	North Leitrim Glens Centre, former Methodist Church built c.1820	Detached with a three-bay nave and advanced gable-fronted porch. Renovated and extended to east and north in 1995 and now used as a theatre. Pitched slate roof with stone chimneystacks, stone coping and rooflight. Weather vane to porch. Ruled-and-lined render to walls with stucco quoins. Lancet windows to nave and triple lancet to porch. Tudor-arched entrance openings to porch. Modern entrance porch to north of original entrance. Interior with ornate gallery. Rendered gate piers, one with cast-iron post box, to front of site. Cast-iron gate and piers to south-west.
37	30805007	588507, 839583	Manorhamilton	Milestone	Carved sandstone milestone, erected c.1840, set on footpath at corner of Main Street and New Line. Bench mark to base. Inscription set into recessed face has been eroded and is now illegible.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
38	30805005	588407, 839602	Manorhamilton	Courthouse built in 1835	Detached three-bay single-storey court house. Hipped slate roof M-profile and with chimneystack to rear. Roughly dressed random coursed limestone walls with yellow brick cornice. Double timber sash windows with spoked fanlights over in recessed round-headed openings with cut sandstone surrounds. Replacement timber door with fanlight to round-headed opening with stone surround. Timber battened door with overlight to north elevation. Flat-roofed former fire engine house recessed to south side of court house. Building accessed through cut limestone piers having wrought-iron gates. Front of site now used as a car park.
39	30805010	588512, 839563	Manorhamilton	Three-bay three-storey house end of terrace built c.1820, Manor Chemists	Integral carriage arch, shopfront and five-bay two-storey return. Pitched slate roof with rendered chimneystacks. Rendered façade with stucco quoins and raised stucco pediments to windows. Stucco pilasters flanking doorway supporting cornice and replacement fascia. Replacement shopfront. Timber panelled door with petal fanlight above in square-headed opening, leading to upper storeys. Timber sash windows to façade and return. Stone wheel guards to corner leading to laneway.
40		588537, 839436	Manorhamilton	Old Protestant Church	This was the old Protestant church of Manorhamilton, probably built in the 17th century, and abandoned in 1783 when the present church within the bastioned fort c. 300m to the NE was built. The church is a rectangular structure built of randomly coursed masonry with walls surviving complete. There is a large window opening in the E gable, and a round-headed doorway and single bellcote in the W gable. There are three smaller openings in the S wall, while most of the N wall does not survive.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
41	30907002	586022, 840517	Barrackpark	Lurganboy Church of Ireland built in 1862	Detached single-cell, with five-bay nave, entrance porch and vestry to rear. Pitched corrugated-iron roof with bellcote to west. Corrugated-iron walls. Pointed-arched windows with plain or etched glazing and coloured glass. Cast-iron lattice windows to west. Pointed-arched door opening to porch with timber battened door and ironwork. Graveyard enclosed by stone wall and wrought-iron pedestrian gate with grave makers dating from the mid-nineteenth century to present. Decorative wrought-iron gates and pedestrian steps and gate to front of site. Building is located within a late-16th century earthen star fort.
42		586242, 840509	Barrackpark	Old Schoolhouse	
43	30805002	588313, 839718	Clooneen	Artisan Dwelling, 18 Castle Street built c.1890	Terrace of six two- and three-bay two-storey houses, with gables and dormer windows to façade. Pitched tiled roofs with red brick and rendered chimneystacks, cast-iron rainwater goods and bargeboards. Squared coursed limestone walls with tooled quoins. Replacement timber and uPVC doors and windows with brick surrounds. Returns and extensions to rear. Single-storey coursed random limestone outbuildings to some rear sites.
44	30805002	588320, 839717	Clooneen	Artisan Dwelling, 17 Castle Street built c.1890	Terrace of six two- and three-bay two-storey houses, with gables and dormer windows to façade. Pitched tiled roofs with red brick and rendered chimneystacks, cast-iron rainwater goods and bargeboards. Squared coursed limestone walls with tooled quoins. Replacement timber and uPVC doors and windows with brick surrounds. Returns and extensions to rear. Single-storey coursed random limestone outbuildings to some rear sites.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
45	30805002	588326, 839714	Clooneen	Artisan Dwelling, 16 Castle Street built c.1890	Terrace of six two- and three-bay two-storey houses, with gables and dormer windows to façade. Pitched tiled roofs with red brick and rendered chimneystacks, cast-iron rainwater goods and bargeboards. Squared coursed limestone walls with tooled quoins. Replacement timber and uPVC doors and windows with brick surrounds. Returns and extensions to rear. Single-storey coursed random limestone outbuildings to some rear sites.
46	30805002	588329, 839715	Clooneen	Artisan Dwelling, 15 Castle Street built c.1890	Terrace of six two- and three-bay two-storey houses, with gables and dormer windows to façade. Pitched tiled roofs with red brick and rendered chimneystacks, cast-iron rainwater goods and bargeboards. Squared coursed limestone walls with tooled quoins. Replacement timber and uPVC doors and windows with brick surrounds. Returns and extensions to rear. Single-storey coursed random limestone outbuildings to some rear sites.
47	30805002	588334, 839713	Clooneen	Artisan Dwelling, 14 Castle Street built c.1890	Terrace of six two- and three-bay two-storey houses, with gables and dormer windows to façade. Pitched tiled roofs with red brick and rendered chimneystacks, cast-iron rainwater goods and bargeboards. Squared coursed limestone walls with tooled quoins. Replacement timber and uPVC doors and windows with brick surrounds. Returns and extensions to rear. Single-storey coursed random limestone outbuildings to some rear sites.
48	30805002	588340, 839710	Clooneen	Artisan Dwelling, 13 Castle Street built c.1890	Terrace of six two- and three-bay two-storey houses, with gables and dormer windows to façade. Pitched tiled roofs with red brick and rendered chimneystacks, cast-iron rainwater goods and bargeboards. Squared coursed limestone walls with tooled quoins. Replacement timber and uPVC doors and windows with brick surrounds. Returns and extensions to rear. Single-storey coursed random limestone outbuildings to some rear sites.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
49	30805003	588348, 839705	Clooneen	Artisan Dwelling, 12 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.
50	30805003	588353, 839702	Clooneen	Artisan Dwelling, 11 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.
51	30805003	588357, 839698	Clooneen	Artisan Dwelling, 10 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
52	30805003	588361, 839694	Clooneen	Artisan Dwelling, 9 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.
53	30805003	588366, 839690	Clooneen	Artisan Dwelling, 8 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.
54	30805003	588370, 839687	Clooneen	Artisan Dwelling, 7 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
55	30805003	588374, 839682	Clooneen	Artisan Dwelling, 6 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.
56	30805003	588379, 839678	Clooneen	Artisan Dwelling, 5 Castle Street built c.1890	Terrace of eight two-bay two-storey houses, built c.1890, with gables to façade and single-and two-storey extensions to rear. Pitched slate roofs with rendered chimneystacks and bargeboards. Roughly dressed random coursed limestone to facades with smooth render to rear and gable ends. Red brick surrounds to openings. Replacement uPVC and timber doors and windows with brick surrounds. Number 10 has original timber sash windows to rear elevation. Single-storey coursed random stone outbuildings to rear of site.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
57	30805029	588888, 839723	Manorhamilton	St. Clare's Roman Catholic Church built c.1885	Detached five-bay nave, six-bay side aisles, two-bay chancel and four-stage bell tower with castellations. Pitched slate roof with cross finials and stone coping and cast-iron rainwater goods. Pyramidal slate roof to bell tower with weather vane. Coursed rock-faced limestone walls with buttresses and string courses. Dressed and carved limestone door and window surrounds. Paired pointed-arched windows to side aisles and ogee-headed windows to clerestorey with rose window and pair of traceried pointed windows in west gable and four-light traceried window in east end with hood moulding with corbel stops. Single and paired ogee-headed and pointed windows to tower. Pointed-arched door opening in tower with hood moulding and corbel stops. Shouldered-arched door opening in west gable with sculpted tympanum with figures and foliage and with timber battened double doors. Four-bay vestry with triple-ogee light, carved stone chimney and recent extension to south-east corner of chancel. Church is set back from road on an elevated site with grave markers of parish priests ranging in date from 1887 to 1967. Bounded by snecked rock-faced wall with dressed coping and dressed gate piers with stone cross finials.
58		578203, 835153	Kilmore	Parke's Castle	The tower house was within a subrectangular bawn defined by a masonry wall which survives almost complete with its original wall-walk and crenellations with gun loops. The bawn has a two-storey gatehouse at the centre of the E side with an entrance passage. There are circular corner-towers at the NW and NE angles, smaller corner-turrets at the SW and SE angles, and an outer moat on the W, N and E sides, while the S wall backs on to the lake. The foundations of rectangular outbuildings were found against the E, S and W walls.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
59	30806008	580220, 831408	Drumahaire	Abbey Hotel built c.1860	Detached seven-bay two-storey double-pile hotel with projecting entrance bay with pyramidal roof and gabled dormer lights. Pitched slate roof, currently being rebuilt. Rendered chimneystacks. Ransom coursed limestone with red brick dressings and rendered walls to side and rear and with cut stone relieving arches to ground floor windows. Timber casement windows with stone sills and brick surrounds. Upper windows have gables with carved bargeboards. Replacement glazed timber door with brick surround and fanlight. Carved stone head over doorway at south end of façade.
60	30806013	580543, 831271	Drumahaire	Drumlease Church of Ireland built in 1806	Comprises three-bay nave with single-bay chancel, vestry and porch. Three-stage tower with clock, castellations and pinnacles. Pitched slate roof with stone finials and rendered chimneystack to vestry. Pebbledashed walls with limestone sills, dressings and hood mouldings to windows. Tooled pointed-arched windows with limestone tracery and stained glass to rear wall of nave and with timber tracery to front. Square-headed openings to second stage of tower. Timber battened double door to tower with carved drop-arched surround. Date plaque above door. Grave markers to site ranging in date from mid-nineteenth century to the present. Site bounded by rubble limestone wall with dressed limestone gate piers with stile and cast-iron gate.
61		580398, 831009	Drumahaire	Old Hall	This is a hall-castle, possibly of 13th-century date, which was known as O'Rourke's Hall. The surviving remains are a single-storey rectangular structure built of mortared limestone walls, the stone of which is probably derived from quarries immediately adjacent to the SE and NW. The walls are ivy-covered but there were four round-headed window embrasures in each long wall as illustrated by Grose, all of which are now robbed-out. There is a destroyed doorway at the S end of the NW wall, which is approached from the SW by an unexcavated shelf of rock, and this is probably the original entrance. A destroyed doorway with two steps down inside it at the E end of the NE wall might be an inserted feature.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
62	30806001	579890, 831537	Drumahaire	Former water mill built c.1800	Former water mill complex on the Bonet River, built c.1800, now used as a National Monuments works depot. Detached two-pile seven-bay two-storey former corn mill with tower at north end and nineteenth- and twentieth-century extensions to rear. Hipped slate M-profile roof. Squared random coursed limestone walls with tooled quoins. Block-and-start window surrounds with replacement timber windows. Two segmental-headed carriage arches to facade, rebuilt c.1990. Integral carriage arch to north with cut stone segmental arch. Rear extension is two-storey with coursed random stone walls and hipped slated roof. Mill stones to exterior. Roughcast rendered modern outbuilding and limestone outbuildings to north-east. Modern building to south. Coursed random stone boundary wall with cast-iron gates and railings.
63		579884, 831552	Drumahaire	Turbine - Dromahair National Monuments Depot	Turbine, National Monuments Depot, Dromahaire
64	30806005	580134, 831474	Drumahaire	St. Patrick's Roman Catholic Church built 1889	Detached with half-octagonal chancel, porches and sacristy to five-bay nave. Pitched slate roof with cast-iron finial, ashlar bellcote and stone corbels supporting cast-iron rainwater goods. Rock-faced Ballisadore limestone walls with plinths and buttresses. Date plaque above porch door. Carved stone surrounds to windows and doors. Ogee-headed lancet windows to nave and double traceried windows in pointed openings to chancel, all with stained glass. Paired ogee windows to sacristy. Pointed-arch doorway in west gable with hood moulding, relieving arch of alternate smooth and rock-faced voussoirs. Timber and glazed double door with steps. Cast-iron finial and cut stone relieving arch above shouldered-arch opening with glazed timber door. Grave markers to graveyard. Site bounded by roughly dressed limestone walls.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
65	30806006	580185, 831456	Drumahaire	Milestone	Painted carved stone milestone, erected c.1850, with inscriptions indicating distances to 'D.Keeran 9 Carrick 27 Sligo 11 M.Hamilton 9'. Set against garden wall of house.
66	30806014	580515, 831209	Drumahaire	Milestone	Painted carved sandstone milestone, erected c.1850, with inscription in recessed face reading 'M.HAMILTON 9, BUNDORAN 25, E.SKILLEN 34'. Milestone is set at base of stone boundary wall to Church of Ireland graveyard.
67	30806017	580419, 831056	Drumahaire	Lodge built c.1800	Detached three-bay two-storey with dormer floor house. Gables to façade and south-west elevation. Pitched slate roof with rendered chimneystacks and timber bargeboards. Roughcast rendered walls with plinth course. Replacement timber casement windows with tooled stone sills. Gabled modern porch, tiled threshold and leaded stained glass windows to timber entrance door and sidelights. Timber battened doors to rear with limestone thresholds and bootscraper. Two-storey rectangular bay to south-east elevation. Later single- and two-storey extensions to rear. Sandstone flags to rear of site. Site bounded by random coursed limestone wall with disused entrance to south-east having cast-iron piers and gates. Present entrance to north-west with cut stone piers and wrought-iron gate. Roofless fortified house to rear, built in 1626.
68	30914003	580624, 830224	Killananima	Dromahair Former Railway Station built c.1880	Detached three-bay two-storey former railway worker's house, built as part of the Sligo, Leitrim and Northern Counties Railway, with lean-to extension to east. Now in use as a private dwelling. Pitched tiled roof with oversailing eaves and ruled-and-lined render to chimneystacks. Rock-faced limestone and rendered walls with stone and stucco dressings. Timber sash and replacement window. Original door opening has been moved.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
69	30806019	580678, 830267	Killananima	Goods shed, former Dromahaire railway station	Three-bay single-storey former goods shed, built c.1880 as part of the Sligo, Leitrim, and Northern Counties Railway. Pitched slate roof, decorative timber bargeboards with projecting slate canopies over entrances. Cast-iron rain water goods. Random coursed limestone walling with raised rock-faced quoins. Segmental-headed arches to east and west walls with sandstone block-and-start surrounds. Square-headed window openings with stone lintels and block-and-start surrounds and stone sills. Station platform and coursed random stone water tower with rock-faced quoins, cast-iron rain water goods and segmental-headed windows to west.
70	30806020	580707, 830313	Killananima	Goods Shed, former Dromahaire railway station	Six-bay two-storey outbuilding, built c.1880 as part of the Sligo, Leitrim and Northern Counties Railway. Pitched slate roof with cut stone chimneystacks and slate canopies over entrances with decorative bargeboards. Roughly dressed random coursed limestone walls. Segmental and square-headed openings, windows having stone sills and guard rails.
71	30806021	580662, 830307	Killananima	Former railway warehouse Dromahaire railway station	Detached six-bay three-storey former railway warehouse, built c.1880 as part of the Sligo, Leitrim and Northern Counties Railway. Four-bay single-storey extension abutting west gable. Pitched slate roof. Roughly dressed random coursed limestone walls with tooled quoins. Square-headed and segmental-headed brick arched openings. Window openings with large stone lintels and sills. Replacement timber casement windows with block-and-start brick surrounds. Roughly dressed random coursed outbuilding to south with brick dressings and corrugated-iron roof.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
72	30914002	580639, 830271	Killananima	Heather Lodge built in 1909, Dromahair Station	Detached three-bay two-storey former railway building, built as part of the Sligo, Leitrim and Northern Counties Railway, with gabled breakfront to centre and lean-to extension to rear. Pitched slate roof with terracotta ridge cresting and finial. Brick chimneystacks with terracotta pots. Snecked rock-faced limestone with red brick string course, dressings and quoins. Date plaque in breakfront. Flat-headed single and paired timber sash windows with stone sills. Timber door with overlight and triangular-headed window in breakfront. Detached four-bay single-storey outbuilding to rear with corrugated-iron pitched roof and over-sailing eaves and random coursed limestone walls with brick dressings.
73	30914001	580085, 828108	Carrowcrin	St. Mary's Roman Catholic Church built in 1859	Detached single-cell with entrance tower to west and single-storey chancel to east. Pitched slate roof with cast-iron rainwater goods. Snecked limestone walls with eaves course, diagonal buttresses and date plaque to front wall. Pointed-arched window openings to nave with tooled limestone surrounds, hood mouldings and decorative timber tracery. Pointed-arched window openings to east and west ends have masks to dripstops. Pointed-arch door opening with timber sheet door to projecting tower with tooled limestone chamfered surround and hood moulding flanked by pointed-arched door openings in nave. Cast-iron vehicular and pedestrian gates flanked by ashlar gates piers to front of site. Church located on elevated site in a rural setting.
74	30808001	597124, 811141	Carricknabrack	Former goods shed Drumshanbo railway station built c.1885	Detached single-bay single-storey former goods shed, built as part of Drumshanbo Railway Station. Now in use for storage. Pitched slate roof with brick chimneystack. Roughly dressed random coursed limestone walls with brick dressings to gable eaves. Fixed window with stone sill to segmental-headed window opening. Modern opening to south gable and blocked square-headed opening to west elevation. Limestone former station platform to north with section of railway track.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
75	30808002	597163, 811165	Carricknabrack	Water Tower Drumshanbo railway station built c.1885	Freestanding water tower at Drumshanbo Railway Station. Now disused. Random coursed limestone walls with round-arched openings and surmounted by cast-iron water tank. Timber battened door with overlight and window with cast-iron frame.
76	30808003	597181, 811150	Carricknabrack	Station House Drumshanbo railway station built c.1885	Detached five-bay two- and three-storey former railway station at Drumshanbo. Now used as a house. Set in its own grounds. Pitched slate and tiled roofs with stone and rendered chimneystacks. Terracotta ridge cresting and cast-iron rainwater goods. Roughly dressed random coursed limestone and pebbledashed walls with gable-fronted porch with slated roof. Brick dressings to gable eaves. Replacement uPVC windows with segmental heads and stone sills. Timber door to projecting porch.
77	30808004	597270, 811100	Carricknabrack	St. John's Church of Ireland built 1829	Board of First Fruits style Church of Ireland church, with three-bay nave, projecting chancel, porch to north end and two-stage tower with castellations, pinnacles, string course. Pitched slate roof and pedimented gables. Cut limestone walls with eaves course, plinth and quoins. Stained-glass lancets and traceried tudor-arched east window with hood mouldings and sandstone surrounds. Timber battened double doors set in pointed-arched opening with carved limestone and sandstone surround. Graveyard with grave markers, bounded by random stone wall with cut limestone piers and cast-iron gate.
78	30808028	597561, 811078	Drumshanbo	St. Patrick's Roman Catholic Church built c.1880	Detached on a T-plan with bell tower and porches to northern gable and transepts. Pitched slate roof with bronze cross finials. Copper roof to bell tower and statue of St. Patrick in round-headed niche to lowest stage. Random dressed sandstone walls and plinth with string course to tower and with roughly-dressed quoins and surrounds to openings. Lancet windows with stained glass and pointed-arched windows to porches and west gable. Timber doors. Variety of grave markers to graveyard. Site bounded by random sandstone and rendered walls with wrought-iron railings, rendered gate piers and cast-iron gates.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
79	30808014	597376, 810951	Drumshanbo	Former National Irish Bank built in 1903	Corner-sited three-storey bank with three-bay frontage to two streets, with Dutch gables to corner bays and three-bay two-storey return to lesser street with projecting single-storey annexe. Pitched slate roof with brick chimneystacks and cast-iron rainwater goods. Brick walls with sandstone dressings. Single-pane timber sash windows in segmental-headed openings with terracotta label mouldings. Corner-sited entrance with projecting carved pedimented doorcase and timber panelled double door. Shopfront comprising three-light window. Side entrance with brick round-headed opening, hood moulding with timber panelled door. Recessed side entrance porch with round-headed opening and hood moulding, all in brick and approached by steps. Building fronts directly onto streets.
80	30808015	597375, 810883	Drumshanbo	Berry's Tavern built c.1850,	Terraced five-bay two-storey house with 1980s pubfront. Pitched slate roof with rendered chimneystacks. Shells set decoratively in render to façade with stucco quoins and plinth. Replacement uPVC windows with block-and-start surrounds and sills. Timber door with overlight and block-and-start surround. Integral carriage arch to north end. Shopfront with display windows flanking double doors and rendered fascia board. Building fronts directly onto street.
81		597367, 810923	Drumshanbo	Elevated road/pedestrian area with cut stone retaining wall & steps	
82		597739, 811326	Drumshanbo	Drumshanbo Bridge, Cavan & Leitrim Railway	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
83	30814002	597998, 797736	Jamestown	Weir - 4 bay sluice bridge built in 1882	Sluice gates on the River Shannon with concrete and stone cutwaters, steel-framed parapet to pedestrian footbridge.
84	30814006	598065, 797578	Jamestown	Jamestown Arch and walls built in 1627	Sections of town walls, built in 1627 by order of King James I and altered c.1830. Jambes of a town gate survive in the northern section. Parts of town wall to the west, south and eastern perimeters of the town. Walls comprise sandstone rubble with lime mortar. The northern gate has been repaired in the past.
85	30814003	598002, 797663	Jamestown	Former mill stores and workhouse built c.1730	Detached four-bay two-storey former mill stores, built c.1730, with single-storey carriage arch bay attached to south-east end, as noted by modern plaque. Converted to workhouse during the mid nineteenth century and now used as an agricultural outbuilding. Hipped corrugated-iron roof. Random coursed limestone walls with rubble infill to the ground floor. Window openings with stone lintels and arches. Replacement double entrance doors. Wheel guards to carriage arch. Flagstones to interior.
86	30814011	598084, 797483	Jamestown	Three-bay two-storey house built c.1820	Detached three-bay two-storey house with pitched slate roof with ridge tiles, coping stones and rendered chimneystacks. Roughcast render to walls with quoins and recessed plinth. Replacement timber and uPVC windows. Segmental-headed doorway with console brackets, cobweb fanlight and traceried sidelights with replacement timber panelled door. Site bounded by roughcast rendered wall to west and random stone wall to southern side.
87		598005, 797470	Jamestown	West Wall, Jamestown	The town was completely defended by a town wall which had bastions at the four corners and two demi-bastions at the centre of the long E and W walls. A length of town wall survives at the N end of the W side of the town. A section of the town wall also survives at the S end of the W side of the town. Its arch was taken down after it was damaged in 1973. Two in-turned piers survive, creating a passageway together with adjacent parts of the town wall.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
88	30814015	598028, 797195	Jamestown	Gatelodge to Jamestown House built c.1830	Detached hexagonal-plan former gate lodge now derelict. Hipped slate roof and red brick chimneystack. Roughcast rendered limestone walls. Flat-headed window openings with tooled limestone sills and timber sash and casement windows. Ashlar gate piers with wrought-iron gates to south of gate lodge.
89	30814012	598114, 797429	Jamestown	Former coach house built c.1820	Detached six-bay two-storey former coach house, built c.1820, with two-bay pedimented breakfront and half-octagonal rear return. Hipped slate roof with ridge tiles and ashlar chimneystack. Limestone and sandstone roughly dressed random coursed walls with quoins and tooled stone eaves course. Partly blocked-up segmental-arched integral carriage arch openings with cut limestone jambs and brick arches to breakfront and returns. Replacement timber casement windows with brick and cut limestone surrounds and stone sills. Windows inserted into door openings. Cut stone oculus to tympanum. Replacement timber and glazed door to return. Ruinous roughcast rendered outbuildings to north surrounding central yard. Single ashlar gate pier to north.
90	30814009	598073, 797469	Jamestown	Tower built c.1820	Circular-plan ornamental tower and demesne wall. Roughly dressed random coursed limestone elevations to tower with castellations and modillions. Door opening in south with limestone surround. Later door opening inserted to north with timber door and red brick surround. Located on north-west corner of estate boundary wall.
91	30815004	599377, 797414	Drumsna	Cut Stone Gateway built c.1850	Gates and gate lodge at the former entrance to Charlestown House. Now disused. Square-profiled tooled limestone gate piers with tooled caps and cast-iron gates hung from decorative fist-shape hinges. Pedestrian gate to north-east. Detached two-bay single-storey roughcast rendered gate lodge with chamfered corners and hipped slate roof having over-sailing eaves. Now derelict.
92		599459, 797069	Drumsna	Drumsna Quay	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
93	30815009	599400, 797359	Drumsna	Two storey house built c.1800	Terraced multiple-bay two-storey house with integral carriage arch. Pitched tiled roof with rendered chimneystacks. Ruled-and-lined render to façade with plinth. Decorative stucco quoins, label mouldings to window openings. Block-and-start style door surround with timber panelled door and cast-iron petal fanlight. Timber sash windows, six-over-six to first floor and two-over-two to ground, with stone sills. Timber battened door to segmental-headed integral carriage arch with stucco hood and keystone. Fronts directly onto the street.
94	30816005	608506, 796876	Mohill	St. Anne's Convent of Mercy built in 1879	Detached five-bay three-storey Sisters of Mercy Convent, extended to north c.1925. Set within its own grounds. Porch to front with stone cross finial and return to rear. Pitched and hipped slate roofs with rendered chimneystacks. Pebbledashed walls with rendered quoins and sill courses. Segmental-headed door opening in pitched roof porch with overlight, timber double doors and stucco hood moulding. Replacement uPVC windows in segmental-headed openings with block-and-start stucco surrounds. Statue in pointed-arched recess in first floor above entrance with hood moulding and flanked by windows. Timber panelled double doors in porch. Rendered boundary wall with railings to front of site. Convent cemetery to north.
95	30816006	608520, 796859	Mohill	St. Anne's Roman Catholic Chapel built c.1930	Detached gable-fronted Roman Catholic chapel with four-bay nave and single-bay half-octagonal chancel to west end, attached to south side of Sisters of Mercy Convent. Single-storey vestry to south side. Pitched and hipped slate roof with carved stone cross finials, cast-iron rainwater goods and rendered chimneystack. Rendered walls. Pointed-arch door opening in east gable with stucco hood moulding. Stained glass lancets with block-and-start stucco surrounds, paired to nave. Triple-light window over entrance door.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
96		608896, 797108	Mohill	Tower, Mohill Castle	Only part of a bawn wall extending NE from the base of a circular corner-tower remain of what was a 17th-century house and bawn. The castle later became a school, but the tower of the bawn was reduced to its present height only in 1977.
97	30816020	608858, 797039	Mohill	Former Hunt Memorial Parochial Hall built in 1893	Detached three-bay part two-storey, part double-height former parochial hall. Now used as a primary school. Return and single-storey extension to rear. Pitched-slate roof with terracotta ridge tiles and red brick chimneystacks with terracotta pots and carved timber bargeboards. Red brick walls with rendered plinth. Pointed-arched windows to front elevation with brick hood mouldings, stone sills and with timber casement windows with stained glass, surmounted by gables with carved bargeboards topped by terracotta finials. Other windows are timber casement with hood moulding to that in façade. Pointed-arched door opening with timber battened door in brick porch attached to north end of building. Limestone date plaque with brick hood moulding to front elevation. Random stone wall with cast-iron railings and squares stone piers with pyramidal caps bounding front of site.
98	30816017	608846, 796982	Mohill	End of terrace four-bay three-storey double-pile house built c.1820	Shopfront to ground floor with return and outbuildings to rear. Pitched slate roof with rendered chimneystacks. Random stone façade with parapet, brick eaves course and cast-iron tie. Timber three-over-three sash windows with sills and brick surrounds to second floor and timber six-over-six sash windows with square limestone jambs and brick heads to first floor. Timber panelled door to house with engaged columns, entablature and fanlight in round-headed opening with step. Timber shopfront to ground floor with timber and timber and glazed double doors with overlight flanked by timber display windows with pilasters, double console brackets and fascia. Random stone and corrugated-iron outbuildings to rear.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
99	30816009	608724, 796913	Mohill	Former National Irish Bank built c.1910	Detached multiple-bay two- and three-storey double-pile Art Nouveau bank with an advanced gable-fronted bay to west and porch to east. Pitched slate roof with rendered chimneystacks and terracotta ridge tiles. Roughcast render to walls with tooled stone quoins, plinth, string course, parapet and cornice. Entrance porch with semi-circular pediment and double timber panelled doors. Second door opening with timber and glazed panelled door with concrete hood approached by steps. Timber sash windows with stone block-and-start surrounds. Circular windows in front and eastern elevations with stained glass panes in eastern elevation. Stone plinth with cast-iron railings to front. Bank fronts directly onto street.
100	30816047	608523, 796750	Mohill	St. Patrick's Roman Catholic Church built in 1886	Detached gable-fronted with nine-bay nave and side aisles. Three-stage tower to front elevation with pinnacles, castelleations and crosses, designed in 1936 by Thomas Francis McNamara. Pitched slate roof with wrought-iron crosses on gables. Ruled-and-lined render to walls with plinth and tooled stone quoins. Pointed-arched window and door openings with brick surrounds. Stained glass to windows. Traceried four-light east window and two-light window with brick surround and oculus over entrance doorway. Replacement glazed and timber entrance doors with mosaic over. Replacement timber battened doors to each end of façade. Statue of St. Patrick and louvred stained glass windows and oculi to tower. Interior floor and ceiling remodelled in the 1960s. Site bounded by concrete wall. Church is set within its own grounds with concrete steps connecting building to street.
101	30816036	608802, 796542	Boeshil	Ashbrook House, former fever hospital, built in 1841	Detached nine-bay two-storey on a H-plan. Now used as a nursing home. Two-storey returns and single-storey range to rear. Pitched slate roof with coping and terracotta ridge tiles. Rendered chimneystacks expressed in gables. Snecked and ashlar elevations with tooled quoins. Replacement timber casement windows and limestone sills. Segmental-headed door opening within glazed porch. Set within garden, bounded by squared random stone wall and ashlar gate piers.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
102		608648, 799815	Drumkilla	Old Glebe House	
103	30935010	609898, 793997	Rinn	Former Steward's House, Lough Rynn Estate built c.1850	Detached three-bay two-storey T-plan former steward's house, built c.1850 in a Tudor Gothic style. Now used as a private house. Multiple pitched slate roofs with cut stone, rendered and brick chimneystacks. Cut stone coping to gables. Random coursed cut stone walls with plinth. Projecting entrance porch with monopitched slate roof. Square-headed and Tudor-arched window openings with tooled stone surrounds, timber casement and uPVC windows. Gable window to rear elevation. Tudor-arched door openings with tooled stone surrounds, timber panelled door to porch and replacement battened door, sidelight and overlight to rear. Stone and timber sheds to rear of site. Site bounded by random rubble wall and set within mature gardens. Lead water tank to rear of site.
104	30935011	609874, 793931	Rinn	Forge, Lough Rynn Estate built c.1840	Detached three-bay two-storey former forge with two-bay single-storey extension to east. Now disused. Pitched slate roof with stone and rendered chimneystacks to rear, timber bargeboards and some cast-iron rainwater goods. Random coursed cut stone walls. Block-and-start surrounds to timber windows with limestone sills. Block-and-start surrounds to square-headed integral carriage arches with cut stone voussoirs. This building is separate from the main outbuilding complex of estate. Adjacent to forge is a stone lined well with cut stone cover with remains of stone mortice.
105	30935009	609887, 793976	Rinn	Weighing scales, Lough Rynn Estate erected c.1860	Freestanding cast-iron weighing scales and weigh bridge in the farmyard at Lough Rynn estate. Now disused. With cylindrical base, shaft and fluted domes cap. Straight arm with handle held in place by latch. Incised scale with hook to end from which weights were once suspended. Decorative bracket to shaft. Adjacent cast-iron weigh bridge set within cast-iron frame. High relief casting bears manufacturer's name 'R. for Shaw & Co., Liverpool'.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
106		609885, 793937	Rinn	Saw Mill, Lough Rynn Estate	
107	30935007	609915, 793889	Rinn	Farmyard complex c.1840, Lough Rynn Estate	Farmyard complex, built c.1840 and extended in 1858. Currently disused. Comprises four detached outbuildings around central courtyard, with further enclosed courtyard to north-west, accessed through cast-iron gates. Pitched slate roofs with cut stone chimneystacks, cast-iron rainwater goods and dormer windows and rooflights. Random coursed limestone walls with dressed quoins. Block-and-start surrounds to windows and some doors. Timber sash and casement windows with block-and-start surrounds. Variety of timber doors. Cut stone bellcote to gable of north-west range with cast-iron weathervane. Complex bounded by random coursed cut stone walls with cut stone piers and cast-iron gates. Further cast-iron gates lead to a walled garden.
108	30935008	609927, 793842	Rinn	Former estate office built c.1850, Lough Rynn Estate	Detached two-pile two-bay one-storey with attic former estate office recently used as restaurant but now disused. Pitched slate roofs with brick chimneystacks, timber bargeboards, cast-iron rainwater goods and cast-iron finials to gables. Random coursed cut stone walls with dressed limestone quoins. Timber casement windows with brick surrounds and limestone sills. Sash windows to first floor. Timber battened door with pointed arch brick surround and limestone keystone to north. Dormer and oriel windows to east elevation. Glazed timber porch with monopitched slate roof to south elevation. Set at edge of farmyard with stone walls separating.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
109	30935006	609823, 793665	Rinn	Walled garden complex built in 1859, Lough Rynn Estate	Walled garden comprising four separate gardens, terraced towards Lough Rynn and bounded by random coursed stone walls. Access to first garden through cut stone piers with hipped slate canopy supported on timber brackets with limestone corbels. Garden contains stone outbuildings with slate roofs to south wall. Entrances in south wall to remaining three gardens. Pointed-arched openings with sandstone voussoirs and block-and-start surrounds. South-west garden contains glass house with castellated stone plinth walls. Three southern gardens have limestone steps leading between them descending westwards. Two-storey octagonal viewing turret or summer house, built in 1867 at north-west corner of south-east garden. Slate roof with cast-iron weather vane. Random coursed stone walls. Pointed-arched openings with dressed stone surrounds. Two cast-iron balconies. Steps leading from gardens to lakeside terminating in pointed-arched and segmental-headed openings with timber battened doors.
110		609789, 793717	Rinn	The Tower, Walled Garden, Lough Rynn Estate	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
111	30936017	610021, 793821	Rinn	Lough Rynn House built in 1832	Detached seven-bay two-storey over basement Tudor Revival country house of irregular plan, extended to east in 1889. Multiple pitched slate roofs with cut stone chimneystacks to eastern block, cut stone finials to gables, cast-iron and lead rainwater goods. Cut limestone walls with string courses. Square-headed chamfered mullioned windows with label mouldings. Drew's addition contains floor to ceiling windows to ground floor containing much elaborate stained glass. Canted-bay window to garden elevation. Gable-fronted entrance porch with segmental-headed opening, tooled moulded stone surrounds, date '1889' above door in decoratively carved panels, surmounted by finely carved crest containing word 'Salve'. Timber door with iron studs and wrought-iron handle. Limestone slabs to entrance. Doorbell set within carved circular panel. Limestone steps to entrance landing. Original round-headed entrance with block-and-start tooled moulded surround, timber battened door and stone steps to entrance. Cut stone wall to east with terracotta railings and decorative wrought-iron gates. House abutted by cut stone outbuildings to west.
112	30935005	609941, 793534	Rinn	Boat House, Lough Rynn Estate built in c.1860	Single-cell boathouse with man-made waterway leading from boathouse to lake. Pitched decorative slate roof with cast-iron cresting and finials, timber bargeboards and timber battened gable. Random course stone walls with openings to front and rear. Stone steps lead to stone parapet running along waterway.
113	30936019	609975, 793823	Rinn	Former stable block built in 1858, Lough Rynn Estate	Detached multiple-bay two-storey L-plan former stable block. Currently disused. Steeply-pitched roofs with gabled dormers, cut stone chimneystacks, stone coping to gables with wrought-iron finials. Random coursed stone walls with cut stone detailing to opening surrounds. Variety of window openings with timber sash and casement windows with stone sills. Slate canopy over four-centred integral carriage arches with timber and glass double doors. Buttress to rear supporting chimneystack. Site bounded by random coursed stone walls with cut stone piers and cast-iron gates. Cast-iron piers with

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
					wrought-iron gates situated to west of stable block. This stable block lies to the west of another.
114		609892, 793504	Rinn	Mac Raghnaill's Castle- tower house	The castle is a rectangular structure with battered walls and rounded corners, surviving to H of c. 7m, except for much of the S and E walls. A destroyed doorway towards the W end of the S wall leads through a lobby to the ground floor, which has the remains of an E-W barrel vault and a simple light in every wall except the S. A mural stairs rises eastwards from the lobby.
115	30932001	608829, 795387	Clooncahir	Swiss Cottage' built c.1870	Detached three-bay two-storey Swiss Cottage with veranda to ground floor and balcony to first floor of entrance front. Pitched widely-oversailing slate roof gabled to elevations with red brick decorative chimneystacks, cast-iron rainwater goods and decorative bargeboards. Timber-framed walls with decorative nogging and tiles and a brick plinth course. Decorative timber to balcony and veranda. Timber double casement windows. Timber and glazed door with original door furniture to front elevation, approached by steps and timber half door to rear elevation. The Swiss Cottage is located in Clooncahir Woods on the outskirts on Mohill.
116	30932002	609476, 794859	Clooncahir	Mohill Lodge built c.1885	Detached single-bay two-storey gable-fronted lodge, probably to the designs of Thomas Drew. Now disused. Pitched slate oversailing roof with brick chimneystacks, timber bargeboards and terracotta finial to gable. Coursed cut stone walls with sandstone plinth, red brick to first floor and string course. Timber bay windows to ground and first floors with paired leaded lights separated by panels of terracotta tiles. Oriel window to south elevation. Entrance door with slate canopy supported by timber brackets, segmental-headed opening with tooled stone surround and limestone steps. Timber battened door. Timber fence to front of site.
117		609281, 794344	Clooncahir	Lough Rynn Post Office	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
118		609295, 794788	Clooncahir	Clooncahir House, Lough Rynn	
119	30936004	611272, 790910	Farnaght	Lough Rynn Estate Boys School	Detached four-bay single-storey with attic former primary school, built c.1870, now in domestic use. Pitched slate roof with decorative timber bargeboards and brick chimneystacks. Random coursed stone walls with cut stone quoins. Window openings to gable end with red brick surrounds. Stone and timber lintels to façade and rear elevation with replacement uPVC windows. Projecting gable-fronted porch to façade with shoulder-arched opening, brick surround and stone steps to entrance. Replacement uPVC door. Original entrance to site was over single-span stone bridge.
120	30936011	610392, 792581	Clooncoe	Clooncoe House, Lough Rynn	Detached three-bay two-storey house, built c.1800, with return to rear. Pitched tiled roof with rendered chimneystacks with terracotta pots. Former thatched roof removed in 1975. Rendered walls with projecting central gable-fronted cut-stone porch with pitched slate roof. Timber sash windows with tooled limestone sills. Glazed and panelled door with overlight. Set in mature garden. Detached two-bay two-storey squared-stone outhouse situated to north-east of main structure, built c.1800, now used as an antique shop. Abutted by stone shed with lean-to slate roof. Stone lintels and sills to openings with replacement windows. Segmental-headed opening to south gable end. Site bounded by random coursed stone wall.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
121	30936010	610649, 791715	Clooncoe	The Pheantry, former game keeper's house built c.1838, Lough Rynn	Detached four-bay single-storey with attic former game keeper's house, now in use as holiday home, with a number of stone outbuildings to site. Pitched slate roof with rooflights, cut stone chimneystack and decorative timber bargeboards to gable ends. Random coursed stone walls with roughly tooled quoins. Cut stone projecting porch. Window openings with stone lintels and sills. Replacement timber casement windows. Replacement battened door. This complex of structures is set back from the road. Date carved on quoinstone.
122	30936009	611439, 791473	Farnaght	Former gate lodge Lough Rynn Estate, built c.1850	Detached two-bay single-storey with attic gable-fronted former gate lodge, now vacant. Pitched slate roof with oversailing eaves, cut stone chimneystack and decorative timber bargeboards. Random coursed stone walls. Tooled limestone lintels to side-sliding timber sash windows with limestone sills and brick surrounds. Projecting lean-to entrance porch to east with shouldered-arched opening with cut stone lintel, red brick surround and timber battened door. Stone outbuilding with pitched slate roof to north-west. Set behind random coursed stone wall with rock-faced cut stone piers to estate.
123		611503, 791472	Farnaght	Boundary wall and Lych gate, Church of Ireland Graveyard	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
124	30936008	611504, 791366	Farnaght	St Mary's Church of Ireland Church built in 1853	Detached two-cell Gothic Revival Church of Ireland church, with five-bay nave, two-bay chancel, projecting gable-fronted entrance porch and projecting three-stage castellated gargoyled tower to façade. Vestry to north elevation. Pitched slate roofs with cut stone chimneystack to vestry, Celtic cross finials to gable ends and entrance porch. Random coursed cut stone walls with quoins. Buttresses to tower. West elevation with stone steps leading to vaults accessed through segmental-headed battened door. Door openings have chamfered surrounds. Pointed-arched entrance to porch with limestone steps, tooled block-and-start surround and latticed timber door. Shouldered-arched opening to sacristy with timber battened door. Lancet window openings with tooled chamfered surrounds containing leaded lattice windows and stained glass windows. Lancet openings to chancel with hood-mouldings and stained glass windows. Site bounded by random coursed wall to roadway. Cast-iron railings separate church from graveyard. Graveyard containing pre-1700 grave markers, recumbent grave slabs and gravestones, wrought-iron grave markers and present day upright graves. Earliest date visible on marker is 1814.
125	30936006	611329, 791017	Farnaght	Limekiln	Detached T-plan single-storey gable-fronted possible kiln, built c.1840 into natural slope. Now derelict. Pitched slate roof with circular brick chimneystack and brick cornice. Ashlar stone to front gable and random coursed stone to other elevations with roughly-dressed quoins. Vent window openings with brick surrounds. Door opening to east elevation with red brick surround. Segmental-arched opening to front with dressed voussoirs and wrought-iron gate. Random stone retaining walls lining entrance to kiln.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
126	30936003	611621, 790428	Farnaght	Former dispensary built in c.1850	Detached four-bay single-storey former dispensary, built c.1850, now derelict. Hipped slate roof with red brick chimneystacks. Random coursed stone walls with tooled quoins. Timber casement windows with limestone sills, lintels and block-and-start surrounds. Projecting gable-fronted ashlar porch with decorative timber bargeboard and shouldered-arched opening. Timber battened door with limestone steps. Random coursed stone outbuilding to rear. Site bounded by rubble stone wall.
127		612061, 790456	Farnaght	Former RIC barracks - Farnaght Post Office	
128		574979, 854267	Tawly	Mass Rock	
129	30801004	578700, 857957	Duncarbry	Tullaghan House built c.1830	Detached four-bay two-storey house with full-height canted bays to façade and western elevation. Porch added to façade. Hipped slate roof with rendered chimneystacks. Ruled-and-lined render to walls. Timber sash windows. Timber panelled door in flat-headed opening with stucco surround. Two-storey random stone outbuilding with slate roof and brick chimneystack to east. Circular-plan random stone gate piers and cast-iron gate. House set in own grounds with rear elevation backing onto the street, bounded by random sandstone wall with cut stone piers and cast-iron gates and railings.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
130	30801001	578650, 858337	Tullaghan	Tynte Lodge and folly towers built c.1750	Detached five-bay two-storey country house with D-plan porch, bowed end bays to façade and six-bay two-storey extension to rear. Walls of demolished return now form a courtyard. Pitched slate and tiled roofs with rendered chimneystacks with terracotta pots. Ruled-and-lined render to walls. Replacement uPVC windows. Timber panelled door to side elevation, approached by stone steps. Some openings have been blocked up. Derelict two-storey stone outbuilding with cut stone voussoirs to openings and a pitched roof. Single-storey derelict byres to south-west. Series of walled gardens and enclosures with castellated random stone folly tower with gun loops on cliff-top to north. Freestanding castellated folly tower to south-west with roughly coursed random stone and fossilised stone to walls.
131		578627, 857840	Duncarbry	Stone Cross	
132		578807, 857607	Duncarbry	Duncarbry Castle, Kinlough Road	
133	30902004	583202, 856768	Mullanaleck	Former flax mill built c. 1800	Detached three-bay split-level former flax mill on the Drowes River with external water wheel to south. Pitched slate roof. Random coursed stone walls. Modern lean-to extensions to north and east.
134	30902003	583180, 856789	Mullanaleck	Former corn mill built c. 1800	Detached four-bay split-level former corn mill on the Drowes River with external water wheel to north. Pitched slate roof. Random coursed stone walls. Red brick and stone surrounds to window and door openings. Mill race runs to west of building. Millstones to front of site. Millwheel and mill building refurbished c.1996.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
135		581969, 855339	Kinlough	Old Church	The church is a rectangular structure built of randomly coursed mortared limestone walls. Quoinstones and cut-stone architectural features have largely been removed, except the head of a round-headed window in the E gable. There is a doorway, now lintelled but originally round-headed, towards the W end of the S wall and a robbed window towards the E end of the S wall. There are holes for four corbels in the N wall and four corbels in the S wall at the W end for a gallery.
136	30802002	581710, 855361	Kinlough	Kinlough House built c.1800	Detached T-plan five-bay two-storey over basement country house, built by Robert Johnston. Now in ruins. Roof has been removed. Two ashlar chimneystacks with string courses. Sandstone walls with ruled-and-lined render and tooled limestone quoins and string course. Window openings with tooled limestone surrounds and sills. Those to ground floor are set within round-headed recesses. Scar of removed Doric portico to facade with tripartite window and pediment above. Segmental-arched openings to basement with cast-iron railings. Kinlough House was formerly the home of the Johnston family.
137		581736, 855391	Kinlough	Kinlough House - Stable Block	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
138	30802007	581449, 855363	Kinlough	St. Edan's Roman Catholic Church built in 1854	Detached cruciform Roman Catholic church comprising three-bay nave with two-bay chancel and transepts. Pitched slate roof with stone cross finials and bellcote. Random squared coursed stone walls with buttresses, plinth, tooled stone quoins and render to rear. Timber battened doors to transepts in depressed-arched openings with chamfered surrounds. Paired lancet stained glass windows surmounted by trefoil windows to nave with cut stone surrounds and quatrefoil stained glass windows to transepts with cut stone and yellow and red brick surrounds. Traceried four-light window to chancel with rose window above. Shoulder-arched triple-light window to sacristy. Three-bay entrance front with double-height advanced central bay with bellcote surmounted by stone cross finial and flanked by lancet windows of nave. Pointed door opening with date plaque above. Grave markers to graveyard. Ashlar stone piers to entrance gates with domed capstones.
139	30802004	581536, 855424	Kinlough	Rossinver Church of Ireland built c.1820	Board of First Fruits style church comprises three-bay nave with three-stage castellated tower. Pitched slate roof with cast-iron rainwater goods, which empty into stone drains. Random coursed stone walls to nave with quoins, battered plinth, buttresses and quatrefoil tooled stone vents. Random coursed stone and pebbledash to tower with stucco quoins and sandstone string courses. Leaded and latticed and replacement windows to round-headed openings with tooled stone surrounds. Timber panelled door to tower within round-headed opening. Timber battened door with square-headed tooled stone surround to north wall of nave. Interior retains features such as gas lamps, bellcote, cantilevered stone staircase and ceiling cornices. Church is set back from road and is bounded by random coursed stone walls with carved sandstone gate piers with cast-iron gates. Former pedestrian gate to Kinlough House to south of tower and former three-bay single-storey Church of Ireland primary school with random coursed walls and pitched salte roof to north of entrance gates.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
140		592312, 849746	Gubalaun	Graveyard Church of St Mogue	Church of St. Mogue, Gobalaun, Rossinver
141	30803001	592699, 848670	Gubalaun	Rossinver Post Office built in 1926	Detached four-bay two-storey house, built by Mr. John Crowel, with post office to ground floor. Pitched slate roof with rendered chimneystacks. Whitewashed walls with rendered plinth course. Timber sash windows with stucco surrounds and stone sills. Replacement uPVC windows to rear elevation. Projecting gable-fronted windbreak with replacement timber door and overlight. Cast-iron post box and timber name board to front wall. Outbuilding to south-east with pitched corrugated-iron roof and whitewashed walls. Two-bay two-storey outbuilding to west end with whitewashed walls with external steps leading to upper storey, abutting west gable of post office building.
142		592013, 846774	Tullyshehery	Church of Ireland	
143		577284, 841962	Lugnafeaghery	Glencar Church of Ireland	
144		586138, 843699	Mullies	Roman Catholic Church of the Annunciation	
145		580969, 841785	Gorteenaguinnell	St. Osnat's Roman Catholic Church	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
146	30804003	597377, 845424	Kiltyclogher	Kiltyclogher Church of Ireland built c.1860	Detached church comprising three-bay nave, single-bay vestry and entrance porch. Pitched slate roofs with eaves brackets. Cut stone bellcote to south-west gable with weather vane. Stone chimneystack to vestry. Squared limestone blocks, built to courses, with tooled sandstone dressings. Paired latticed lancet windows with tooled stone surrounds. Rose window to south-east gable. Pair of trefoil windows above vestry door. Timber battened entrance door with cast-iron furniture set in tooled ogee-headed surround with hood moulding. Grave markers to church grounds. Site bounded by random coursed stone wall with ashlar gate piers.
147	30804014	597471, 845125	Kiltyclogher	St. Patrick's Roman Catholic Church built c.1840	Detached church comprising six-bay nave with side aisles, transepts and sacristy to south-west. Pitched slate roofs with stone corbels and stepped gables with stone cross finials. Coursed rock-faced sandstone walls with buttresses and cut stone plinth course. Pointed-arched lancet windows to clerestory and round-headed lancets to ground floor of aisles with stained glass windows, cut stone dressings and hood mouldings to gable ends. Paired lancets to upper level of transepts and sacristy. Traceried triple-lancet window to south end. Pointed-arched entrance doorway with hood moulding and timber battened double door. Square-ended chancel with open timber trussed roof. Altar at south end, arcaded side aisles. Church set in graveyard with twentieth-century grave markers. Cast-iron bell to south. Site bounded by pebbledashed wall with piers and cast-iron gate.
148	30804008	597542, 845305	Kiltyclogher	Seán MacDermott monument erected in 1940	Freestanding crystalline Irish limestone statue of Seán MacDermott, a leader of the Easter 1916 Rising. Carved by Albert Power and located at the central cross roads of Kiltyclogher. Set on a stone plinth with plaques to front and rear. Statue stands against a section of wall, representing an elevation of Kilmainham Gaol.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
149		578688, 836316	Carrickanurroo	Dovecote	It is on the grounds of Newtown Manor, a large house that was built between 1835 and 1910 but which is no longer extant. The pigeon house is a circular tower with a doorway at N. There was a floor 2.8m above ground level and there are eight tiers of pigeon-holes with brick divisions at the first floor with a large opening on the S side. The exterior is rendered with a string course over the ground floor and the first floor, and there are dainty crenellations on the parapet.
150		578624, 836215	Cartron	Old Church of Ireland	
151		581174, 835391	Lugalustran	Roman Catholic Church of Mary Mother of God	
152	30912005	595427, 838918	Barrs West	St. Michael's Roman Catholic Church built in 1832	Detached two-cell church with four-bay nave, single-bay chancel and extension to rear. Pitched slate roof with stone crosses and cast-iron rainwater goods. Rendered walls with tooled limestone quoins and dressings. Pointed-arched window openings with tooled chamfered surrounds and replacement stained glass windows. Triple lancets in east gable. Pointed-arched door opening with tooled chamfered surround in west gable. Prayer plaque in west gable. Cemetery adjacent to church. Cut stone entrance gates to south of church.
153		595459, 838880	Barrs West	Two Storey Farmhouse, Barrs West	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
154	30913001	600884, 837728	Laghty	St. Mary's Roman Catholic Church built in 1857	Detached single-cell church by Rev. John Rogan, with four-bay nave and slightly-projecting entrance bay with bellcote. Pitched slate roof with cast-iron rainwater goods. Random coursed cut sandstone walls with eaves course and date plaque to front elevation. Pointed-arched window openings with tooled sandstone surrounds and sills. Stained glass window to front elevation is dated 1954. Pointed-arched door opening with tooled sandstone surround. Graveyard with grave markers dating from the mid-nineteenth century to present. Site enclosed by modern concrete wall, timber fence and gates. Church refurbished c.1956.
155	30913002	600906, 837619	Laghty	Former gate lodge built c.1820, Glenfarne Demesne	Detached three-bay single-storey cruciform former gate lodge with extension to rear. Fibre cement roof tiles and ashlar chimneystack. Rendered walls. Replacement timber casement windows with painted tooled stone sills and label mouldings. Replacement glazed timber door with painted tooled stone label moulding. Tooled limestone gate piers and decorative cast-iron railings to front of site are former gates to Glenarne Demesne.
156		600821, 837529	Brockagh Lower	Former Train Viaduct	
157	30913004	600763, 837523	Brockagh Lower	Former railway station, Glenfarne built c.1870	Detached three-bay single-storey former railway station, built as part of the Sligo, Leitrim and Northern Counties Railway, with two-bay two-storey extension to west. Pitched slate roof with ashlar chimneystacks, cast-iron rainwater goods, decorative bargeboards and a finial. Snecked stone walls and tooled quoins. Segmental-headed window openings with tooled sandstone surrounds and sills and timber sash windows. Segmental-headed door opening with tooled sandstone surround and timber door with iron door furniture. Stone former platform to north. Corrugated-iron former 'Customs and Excise' office on platform to east of former station.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
158	30913005	600694, 837552	Brockagh Lower	Former Signal Box, Glenfarne railway station built c.1870	Detached square-profiled two-storey former signal box, built c.1870 as part of the Sligo, Leitrim and Northern Counties Railway. No longer in use. Pyramidal roof with bracketed eaves. Snecked limestone walls. Segmental-headed window openings to ground floor and continuous glazing to first floor. Segmental-headed door opening to ground floor with tooled sandstone surround. Located to west of former station.
159	30913003	600795, 837485	Brockagh Lower	Former station master's house, Glenfarne railway station built c.1870	Detached three-bay single-storey with attic former station master's house, built as part of the Sligo, Leitrim and Northern Counties Railway, with four-bay goods shed attached to rear. Now in use a private dwelling. Pitched slate roofs with ashlar chimneystacks, cast-iron rainwater goods and crested ridge tiles to goods shed. Snecked limestone walls. Square-headed and segmental-headed window openings with rendered and rock-faced limestone surrounds, timber sash and uPVC windows and limestone sills. Segmental-headed door opening set in glazed entrance porch. Site enclosed by rubble stone wall and tooled stone gate piers. Loading bay to west of goods shed with tooled stone surround. Bullseye window to goods shed.
160	30913006	600773, 837539	Brockagh Lower	Former railway goods shed, Glenfarne railway station built c.1870	Detached three-bay split-level former railway goods shed, built as part of the Sligo, Leitrim and Northern Counties Railway. Now in use as a private dwelling. Pitched slate roof with rendered chimneystack and decorative bargeboards. Random coursed limestone walls with tooled limestone quoins. One original segmental-headed window opening to west facing side elevation, now filled in. Two large segmental-headed openings to the front and rear elevation are filled-in and have door openings inserted. Segmental-headed door opening to west facing side elevation, now filled-in.
161		583951, 832011	Socks	Milestone	Milestone R287

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
162		581853, 830219	Cleen	Former Railway Station - Bellanamore Level Crossing	Bellanamore level Crossing (Cleen No. 18)
163	30915002	586356, 828605	Drumkeel	Three-bay two-storey farmhouse built c.1780	Detached with attic former farmhouse, no longer in use. Pitched slate roof with stone chimneystacks and cast-iron rainwater goods. Roughcast-rendered stone walls. Timber sash windows with tooled limestone sills. Replacement timber door with sidelights and overlight and tooled sandstone block-and-start surround with hood moulding. Gabled entrance porch removed. Two-storey stone outbuildings and coach house with pitched roofs to rear yard accessed through decorative wrought-iron gates flanked by ashlar piers. The house is located on an elevated site up a driveway with wrought-iron gates flanked by ashlar piers to roadside.
164	30915001	588350, 827868	Drumduffy	Creevelea Presbyterian Church built in 1853	Detached single-cell former Presbyterian Church, with two-bay nave and gabled entrance porch. Consecrated as a Roman Catholic Oratory in 1913. No longer in use. Pitched slate roof with terracotta ridge tiles. Squared limestone walls, rendered to rear with cut-limestone buttresses. Pointed-arched window openings with chamfered limestone surrounds and cast-iron lattice glazing. Triple lancet windows in east gable. Pointed-arched door opening with timber battened door accessed up stone steps. Graveyard with grave markers dating from the mid-nineteenth century. Site enclosed by rubble stone wall.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
165	30807007	590989, 824522	Lugmeen	St. Brigid's Roman Catholic Church built in 1869	Detached church on a T-plan with side aisles to five-bay nave, sacristy, four-stage castellated tower and octagonal entrance porch to west end. Pitched slate roof with coping stones, corbels and stone cross finials to gable-ends. Random coursed stone walls with cut stone quoins. Stained glass triple lancets to transepts and west gable, pointed-arch windows to aisles and drop-arched windows to clerestorey, segmental-headed windows and single and double light windows in pointed-arched surrounds to tower. Half-octagonal double-height entrance porch with segmental-headed upper windows with stained glass and slated roof with stone corbels. Gabled entrance bay with shoulder-arched doorways with timber battened double doors separated by engaged column supporting statue of St. Brigid and surmounted by sculpted tympanum. Interior with open truss timber roof, side aisles and square-ended chancel. Date plaque to site. Graveyard with variety of grave markers. Site bounded by wall with cast-iron gates.
166	30807004	590717, 824365	Lugmeen	Former courthouse built c.1920	Detached three-bay single-storey Arts and Crafts style gable-fronted former court house possibly onto front of an earlier building to form a T-plan. Possibly designed by E.H. Carson. Set back from street on elevated site and now disused. Pitched slate roof with over-sailing eaves, decorative sandstone corbels to front elevation, rooflight to rear and cast-iron rainwater goods. Roughcast rendered walls with buttresses to front elevation and sandstone dressings. Timber casement and replacement windows with sandstone dressings and timber sills. Recessed entrance flanked by two-light windows with three-light over, all with cut sandstone surrounds. Glazed timber door with sandstone surround. Sandstone wall and steps to front of site.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
167	30807006	590873, 824089	Sheena	Drumkeeran Church of Ireland built in 1828	Board of First Fruits style church comprising three-bay nave with projecting chancel, porch to north side of nave and three-stage tower having castellations and pinnacles. Cut random coursed sandstone walls with string courses to tower. Pitched slate roof. Castellations to east gable of nave. Tudor-arch door opening with hood moulding and tooled stone surround and timber battened door. Date plaque above door. Traceried and stained glass lancets to nave, tudor-arch three-light east window and square-headed blind windows, all with tooled stone surrounds and hood mouldings. Variety of nineteenth- and twentieth-century grave markers to graveyard with pyramidal mausoleum. Site bounded by random coursed sandstone walls with ruled and lined rendered cylindrical gate piers with domed caps and wrought-iron gates.
168		590879, 824073	Sheena	Church of Ireland Church Graveyard	
169	30918001	599533, 823013	Drumnafinnila	St Hugh's Roman Catholic Church built in 1842	Detached T-plan church with bellcote above advanced entrance bay and sacristy to rear. Pitched slate roof with cast-iron rainwater goods and roof vents. Rendered walls with tooled coursed squared sandstone entrance bay. Date plaque above entrance. Pointed-arched window openings with stained glass. Pointed-arched door opening with timber battened double doors. Graveyard with grave markers dating from late-nineteenth century to present.
170		603239, 811255	Drumineigh Glebe	Old Rectory	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
171	30924005	603638, 810061	Kiltubbrid	Annadale country house built c.1760	Detached five-bay two-storey country house with entrance porch. Pitched slate roof with terracotta ridge tiles and rendered chimneystacks. Rendered walls with continuous sill course to ground floor. Replacement timber casement windows with tooled stone sills and original fixed pane windows to porch. Wyatt window to first floor. Segmental-headed door opening to porch with timber panelled door flanked by sidelights with leaded detailing and pilasters, approached by limestone steps. Fanlight removed and filled in. Multiple-bay two-storey outbuildings to rear yard with cut stone carriage arch opening and bellcote. Remains of walled garden to east. Graveyard and medieval church in ruins to north of house. Cast-iron entrance gates with cut stone piers, erected c.1850, approached by limestone steps.
172	30924004	602321, 809380	Corglass	St Brigid's Church of Ireland built in 1785	Detached single-cell church with three-bay nave, two-stage entrance tower to west and single-storey vestry to north. Pitched slate roof with cast-iron rainwater goods, limestone eaves course and coping. Rendered walls to nave, random coursed walls to tower with string course to upper stage. Pointed-arched window openings to nave with timber sash windows and tooled stone sills. Pointed-arched window opening with timber tracery to east gable end. Pointed-arched and bullseye windows to tower. Timber sash window to vestry. Pointed-arched door opening with rendered surround and timber batten door. Graveyard with grave markers dating from the eighteenth century to present. Site enclosed by random coursed wall and wrought-iron gates flanked by ashlar piers. Church located on elevated site overlooking Lough Scur.
173		601925, 809312	Drumcong	Former narrow guage train station	CLR Railway Station, Kiltubrid

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
174		601972, 809282	Corglass	Former narrow guage level crossing	Former CLR Level Crossing, Kiltubrid
175		601732, 808723	Roscarban	Belfry on stone piers	Belfry, St. Brigid's Roman Catholic Church, Kiltubrid
176		603289. 808396	Gowly	Shell of three storey house - Reynolds Castle John	Reynolds Castle John, Lough Scur
177		603633, 807701	Keshcarrigan	Former Garda Barracks	
178	30809012	612871, 811631	Stradermot	Ballinamore Church of Ireland built c.1785	Three-bay nave with projecting porch to west end and vestry. Pitched slate roof to nave with bellcote. Hipped slate roof to porch. Roughcast rendered walls with plinth. Random stone walls to vestry. Traceried stained glass lancets. Pointed-arch doorway to porch with steps, shouldered-arch doorway to vestry, with timber battened doors. Graveyard with grave markers. Site enclosed by random stone wall with wrought-iron gate and coursed squared stone piers.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
179	30809023	613026, 811550	Tully	Former courthouse built c.1830 - library	Detached three-bay two-storey former court house, on an L-plan with slightly-advanced end bays. Now in use as a research library. Modern flat concrete roof behind parapet. Cast-iron rainwater goods. Ashlar limestone façade with cut stone parapets, cornice and segmental-arched openings. Coursed squared stone side and rear elevations. Timber sash windows with continuous sill course. Gable windows have block-and-start surrounds. Timber panelled doors with stone surrounds recessed within segmental-headed arches. Structure is set back from the street line and is flanked by cast-iron gates and the site is bounded by limestone walls. Circular-plan stone well situated to rear of site. Landscaped forecourt to front of building.
180	30809034	613330, 811739	Cannaboe	Former station master's house built c.1885 - St Felim's College	Detached two-bay two-storey former station master's house abutted by five-bay single-storey former railway station, now used as a community school and private residence. M-profile slate roof to house and pitched slate roof to station with terracotta ridge cresting and cast-iron rainwater goods. Rendered chimneystacks with terracotta pots. Red brick walls with vitrified and yellow brick dressings and segmental-headed openings. Replacement uPVC windows with yellow-brick hood mouldings and with stone sills. Windbreak with pitched tiled roof to entrance door of house. Timber glazed door with overlight. Single-storey flat-roofed extension to rear.
181	30925001	611670, 809082	Mough	Lawderdale House - two storey country house built c.1850	Detached L-plan three-bay two-storey country house with gabled projecting entrance bay. Hipped corrugated-iron roof with brick and ashlar chimneystacks, bargeboards and a tower, built in 1983. Roughcast and cement rendered walls. Timber sash windows with stone and concrete sills. Timber panelled door to entrance bay. Two-storey stone outbuildings to rear yard. Range to east built in 1875, abutted by lean-to outbuilding, built c.1980. Walled garden to east of house. Ruinous private chapel to adjacent field.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
182		610926, 807757	Commons	Memorial walls of Fenagh Abbey	
183		610926, 807757	Commons	Crucifixion Plaque, Fenagh Abbey	
184	30925003	617008, 813146	Corduff	Corduff country house built c.1780	Detached five-bay two-storey over basement house with central half-octagonal breakfront to facade. Return and two-storey over basement extension to rear. Hipped slate roof with rendered chimneystacks and cast-iron rainwater goods. Painted random coursed stone walls. Replacement timber casement and sash windows and tooled stone sills. Door opening with replacement timber door accessed by stone steps. Enclosed cobbled yard to rear.
185		617624, 811993	Garadice	House and farmyard	On the N shore of Garadice Lough. A grant of almost 1,000 acres at Garadice was made to Nicholas Pynnar in 1661-2. A T-shaped house has a three-bay, two-storey over basement N-facing front and a three-bay, two-storey return at the S. It is still occupied, and is possibly of late 17th- or early 18th-century date
186	30926002	620747, 812172	Woodford Demesne	Woodford House Walled Garden built c.1750	Square-plan walled garden part of Woodford demesne. Random coursed limestone walls with lime mortar.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
187		620623, 812317	Woodford Demesne	Woodford House	The house is reputedly on the site of an O'Rourke castle. All the surviving structures appear to be eighteenth century in date, and the house and outhouses are part of a wider designed landscape consisting of terraces rising above the house to the S, and two walled gardens.
188	30926004	621547, 810475	Newtowngore	St. Patrick's Church of Ireland built c.1850	Detached two-cell church with four-bay nave, single-bay chancel with gabled entrance porch to south and vestry to north. Pitched tiled roof with carved stone crosses, double bellcote and ornamented corbelled eaves course. Random coursed limestone walls with ashlar buttresses and quoins. Paired lancets with cast-iron lattice windows to nave with decorative quatrefoils and hood mouldings over, tooled limestone chamfered reveals and a continuous sill course. Triple lancet to east gable with decorative dripstops. Pointed-arched door opening to entrance porch with chamfered limestone reveals, timber battened door and flags to porch. Graveyard with grave makers dating from the mid-eighteenth century to present. Ruin of medieval church to north with bellcote and bell. Site enclosed by a random coursed limestone wall and wrought-iron gates.
189		594833, 805049	Drumhierny	Battlebridge Lock	
190		595386, 805424	Drumhierny	Drumhierny Lodge	
191	30810001	595715, 804882	Leitrim	Milestone erected c.1840	Limestone milestone, erected c.1840, set within random stone boundary wall. Incised lettering in recessed face of milestone reads 'Carrick 4 Drumkeeran 14 M.Hamilton 26 Drumshanbo 5'. Benchmark incised on base of stone.
192		596266, 804900	Killarcan	Canal Lock No. 16	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
193		599321, 805738	Keonbrook	Keonbrook Country House	Two storey country house
194		599724, 804139	Gowel	St. Patrick's Roman Catholic Church	
195		597598, 803200	Kiltoghert	Roman Catholic Graveyard	
196		607989, 804807	Corgallion	Cannings Cornmill and Kiln	
197		609055, 803765	Corrabeagh	St. Joseph's Roman Catholic Church	
198		609623, 804689	Seltan	Selton Hill Memorial	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
199	30811010	610720, 807424	Glebe	Former Fenagh Rectory	Detached three-bay (three-bay deep) two-storey over part raised basement Board of First Fruits Church of Ireland glebe house, built 1829, on a T-shaped plan centred on single-bay single-storey projecting porch to ground floor; three-bay full-height rear (west) elevation. "Improved", pre-1909, producing present composition. Occupied, 1911. Renovated, ----, to accommodate continued alternative use. Replacement hipped terracotta tiled roof on a quadrangular plan with terracotta ridge tiles, paired limestone ashlar central chimney stacks on cut-limestone cushion courses on roughcast bases on axis with ridge having cut-limestone stringcourses below capping supporting yellow terracotta tapered pots, and uPVC rainwater goods on cut-limestone eaves. Part creeper- or ivy-covered coursed or snecked limestone walls on cut-limestone chamfered cushion course on coursed or snecked limestone base with cut- or hammered limestone flush quoins to corners; part creeper- or ivy-covered rendered, ruled and lined walls (porch) with rusticated rendered piers to corners. Segmental-headed window openings (porch) with cut-limestone sills, and concealed dressings framing fixed-pane timber fittings. Square-headed window openings in segmental-headed recesses (ground floor) with cut-limestone sills, and cut-limestone block-and-start surrounds framing replacement uPVC casement windows replacing six-over-six timber sash windows. Square-headed window openings (first floor) with cut-limestone sills, and cut-limestone block-and-start surrounds framing replacement uPVC casement windows replacing three-over-three timber sash windows. Square-headed window openings (remainder) with cut-limestone sills, and cut-limestone block-and-start surrounds framing replacement uPVC casement windows replacing three-over-three (basement), six-over-six (ground floor) or three-over-three (first floor) timber sash windows. Set in landscaped grounds.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
200	30929002	618970, 806991	Corrawaleen	St. Columba's Church of Ireland	Detached two-cell Church of Ireland church, built in 1854, with five-bay nave, gabled entrance porch and vestry. Pitched roof with fibre-cement tiles, stone bellcote and corbelled eaves course. Random coursed limestone walls with diagonal buttresses. Lancet windows with tooled sandstone reveals and replacement glazing. Triple lancet to east gable. Pointed-arched door openings have tooled sandstone surrounds and timber batten doors with ironwork. Graveyard with grave markers dating from the mid-eighteenth century to present. Site enclosed by a new stone wall and original decorative cast-iron gates.
201	30812014	623511, 803097	Clooncorick	Former Manse built c.1860	Detached three-bay two-storey former manse, built c.1860, now used as a private house. Pitched slate roof with ridge tiles and rendered chimneystacks. Snecked limestone walls with raised tooled sandstone quoins on a limestone plinth with sandstone course. Brick surrounds to openings. Replacement timber sash windows with stone sills. Timber panelled door with Tuscan doorcase and overlight in segmental-headed opening and with steps. Two-storey flat-roofed extensions and outbuildings to rear.
202	30812001	622992, 803085	Bredagh	Church of Ireland Old Schoolhouse built c.1840	Detached five-bay two-storey former school, built c.1840, on a T-plan with single-storey return. Now disused. Pitched tiled roofs with replacement brick chimneystacks and stone coping. First floor windows in east and west elevations are set into eaves and have stone gablets. Lean-to roof to return. Roughcast rendered walls. Timber casement windows with tooled stone surrounds. Tooled stone doorcase with timber battened door. Random stone wall encloses site. Wrought-iron gate to entrance with ashlar limestone piers and pyramidal caps.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
203		600699, 796712	Annaduff	Nesbitt Mausoleum	This is the site of an early monastery called Enach Dubh – the black marsh – which was founded by St Cuimín Cadhan in AD 669. The church is a rectangular limestone structure surviving to the eaves with dressed quoins and a modernised doorway at W but the walls are completely overgrown with ivy. There are two blocked rectangular windows in both the S and N walls and a single-light decorated 15th-century window in the E gable which is inserted over the base of a simpler window. There are two corbels with carved heads at roof level at the SE and SW angles.
204		600488, 795176	Derrylaur	Shannon Bridge - Arched train viaduct over river	
205	30817005	614058, 799908	Cloone	St. James' Tower and Graveyard, Church of Ireland churchyard	Freestanding three-stage bell tower of demolished Board of First Fruits style Church of Ireland church, built in 1822, now disused. Castellations and pinnacles to parapet. Limestone rubble walls with tooled stone dressings and string courses. Date plaque to south elevation. Hood mouldings to windows. Louvred windows to top stage. Blind window to bottom stage and blocked door which led into nave. Replacement timber battened door in pointed-arched opening. Later clock to oculus in south elevation. Graveyard to south of tower. Site enclosed by stone rubble wall.
206		618454, 800824	Aghavas	St Joseph's Roman Catholic Church	
207		604389, 792070	Faulties	Two storey house	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
208		606219, 791320	Cloonturk	Roman Catholic Church	
209	30818014 & 30818015	605117, 789939	Drumod Beg	Former court house and RIC barracks built c.1840	Detached gable-fronted two-bay former court house, built c.1840, now used for Garda accommodation. Set back from the road and abutting garda station to south. Lean-to extension to rear. Pitched slate roof with rendered chimneystack and cast-iron rainwater goods. Random coursed limestone walls with tooled limestone quoins and plinth course. Double and tripartite windows to east gable, with cut stone relieving arch to ground floor window. Replacement timber windows throughout with tooled stone surrounds and sills. Windows in north wall have square heads and brick surrounds and relieving arches. Loop window at basement level of north wall with roughly-dressed stone surround. Replacement timber and glazed door in chamfered cut stone surround with steps. Site enclosed by stone walls with wrought-iron gate. Remains of water pump to site. Detached three-bay two-storey former RIC barracks, built c.1840, now used as a Garda station. Abutting former court house to north. Pitched slate roof with brick chimneystack and cast-iron rain water goods. Random coursed limestone walls with tooled limestone quoins and plinth course. Doorway set into concrete surround accessed by stone steps. Garda insignia above door. Replacement timber windows with tooled stone surrounds and sills to windows. Cut stone and yellow brick surrounds to some windows on rear elevation. Replacement timber panelled door. Site enclosed by squared stone wall and wrought-iron gates.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
210	30818020	605245, 789708	Drumod More	Former Church of Ireland school built c.1850 - Warren Lodge B&B	Detached four-bay single-storey former Church of Ireland school with projecting two-storey gable-fronted bay to north end, porch to façade and extensions to rear and north end. Now used as a house. Set back from the road. Pitched slate roof with rendered diamond-profile chimneystacks and cast-iron rainwater goods. Gables over façade windows and entrance. Roughcast render to walls with tooled stone plinth. Entrance porch with pitched roof, tiled floor and timber panelled door with tear drop fanlight and sidelights in recessed round-headed opening. Variety of single- and triple-light window openings with tooled stone surrounds and sills and timber and replacement uPVC windows. Triple-light windows in bays flanking entrance with lattice glazing. Random stone wall to front of site with cast-iron gates and railings with rendered plinths.
211		604586, 789555	Aughry	Boat House Aughry, Dromod	
212	30818013	605440, 790069	Clooncolry	Former goods shed, Dromod Railway Station	Detached four-bay former goods shed with single-storey façade and double-height interior, built c.1880 at Dromod Railway Station. Pitched corrugated-asbestos roof with over-sailing eaves, stone corbels, brick chimneystack and cast-iron rainwater goods. Squared limestone walls with tooled stone quoins and buttresses. Block-and-start door surrounds and brick arches. Two openings have been lengthened. Timber battened and steel doors. Goods doorways in gables have cut stone relieving arches. Diocletion windows to gable ends with brick arches and stone sills. Circular pivoted windows to rear wall and square-headed timber sash windows with brick surrounds and stone sills to front wall and west gable. Pedestrian door in west gable approached by steps.
213		605472, 789997	Clooncolry	Signal box, Dromod Railway Station	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
214	30818010	605505, 789959	Clooncolry	Dromod Railway Station built c.1885	Detached four-bay two-storey station building at Dromod Railway Station, with canopy to platform. Abutted by single-storey outbuilding to south and return to rear. Hipped slate roof with rendered chimneystacks. Snecked stone walls with plinth and quoins and cut stone dressings and with segmental-headed openings. Timber sash windows in recessed surrounds. Replacement glazed timber door with sidelights and overlight. Canopy has lean-to slate roof supported by chamfered timber posts. Wooden seating under canopy. Timber battened doors to outbuilding. Sandstone flagstones to platform.
215	30818008	605485, 789965	Clooncolry	Footbridge built c. 1885, Dromod Railway Station	Single-span cast-iron footbridge over railway tracks at Dromod Railway Station. Bridge supported by cast-iron piers with foliate capitals on concrete bases. Cast-iron steps to each side rising to bridge with newel posts with foliate tops. Cast-iron parapets. Sides of bridge closed in with sheet metal.
216	30818006	605521, 790015	Clooncolry	Former station master's house built c.1885 Dromod Railway Station	Detached two-bay two-storey double-pile former station master's house at Dromod Railway Station. Now used as a house and museum. Projecting front porch and three-bay waiting room wing and four-bay store wing to ends. Pitched slate roofs with terracotta ridge cresting, rendered chimneystacks and terracotta pots. Red brick walls with yellow and vitrified brick dressings. Timber battened door with overlight. Timber sash windows with limestone sills and yellow brick hood mouldings. Waiting room has timber doors and cladding to platform side and signboard for station. Store wing has windows with stone and concrete lintels.
217	30818004	605483, 790095	Clooncolry	Locomotive shed, Dromod Railway Station built c.1885	Detached two-bay single-storey engine shed at Dromod Railway Station. Pitched slate roof with cast-iron air-vent. Roughly dressed random coursed limestone walls with segmental-headed brick arched openings. Fixed windows and timber battened double doors to north end with brick eaves course. Concrete buttress to east elevation added c.1910. Narrow gauge track to interior. Building still used as an engine shed.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
218	30935004	606961, 794187	Gortnalamp	Gort House and Gate Lodge	Detached U-plan three-bay two-storey farmhouse, possibly of seventeenth-century date although with features of c.1780, with pedimented entrance porch. Hipped slate roof with rendered chimneystack and limestone eaves course. Roughcast-rendered stone wall with quoins. Replacement uPVC windows with tooled stone sills. Bullseye window with petal-shaped glazing bars to pedimented entrance porch. Timber panelled door to front entrance porch, timber battened door flanked by columns supporting flat, formerly gabled, canopy to side elevation, both with stone thresholds. House plan may be seventeenth-century in origin. Outbuildings to rear cobbled yard. Three-bay single-storey former gate lodge to front site. Pair of wrought-iron gates discarded near gate lodge.
219		611185, 794206	Errew	Shell of Country House - Lakefield House	
220	30936001	611819, 793148	Gortletteragh	Former Gatelodge, Lough Rynn Estate built c.1850	Detached single-bay single-storey with attic gable-fronted former lodge, now a house. Pitched slate roof with catslide roof to porch and oversailing eaves, timber bargeboards to gables and cut-stone chimneystacks. Random coursed limestone walls with sandstone foundation. Side-sliding timber sash windows with tooled limestone lintels, sills and brick surrounds. Porch to east with shouldered-arched opening and brick surround with timber panelled door. Set behind random coursed limestone wall with soldier course forming coping at entrance to Lough Rynn Estate.
221		611918, 792713	Gortletteragh	St. Mary's Roman Catholic Church	
222		618166, 794730	Killyvehy	Old Mill	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
223		605280, 786212	Aghamore	Roosky Lock	
224		605216, 786141	Aghamore	Roosky Lock/Sluice gates	
225	30937002	608905, 786469	Knockadrinan	Two storey dwelling built c.1890 with public house - J Reynolds	Pitched slate roof with terracotta ridge tiles and rendered chimneystacks. Rendered walls. Timber panelled door with overlight. Timber sash windows. Shopfront comprises timber pilasters and fascia with dentil cornice and ceramic lettering. Central replacement door flanked by fixed pane windows with tooled stone sills. Stone single-storey outbuildings with pitched corrugated iron roof and ruin of a two-storey water mill to the rear yard.
226		594324, 800112	Townparks	Water Tower	
227		593738, 800093	Townparks	Post Box	
228	30813040	594095, 799798	Townparks	Post Box erected c. 1930	Cast-iron wall-mounted post box, with 'P&T' emblem in Gaelic script. Manufacturer's name 'Jessop Davis Enniscorthy' inscribed on base.
229		593988, 799696	Townparks	Presentation House - detached eight bay three storey former barracks	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
230		594013, 799680	Townparks	Presentation House - freestanding two bay single storey outbuilding	
231		593778, 799749	Townparks	Carved Stone Plaque, Saint George's Church Grounds	
232		593802, 799763	Townparks	Peyton Tomb, Saint George's Church Grounds	
233		593820, 799737	Townparks	Wills Tomb, Saint George's Church Grounds	
234	30813029	593677, 799670	Townparks	St Georges Mausoleum erected in 1865	Freestanding Classical style mausoleum located within the grounds of Hatley Manor. Design possibly by William Caldbeck. Vermiculated rustication to walls with ashlar Tuscan portico surmounted by coat-of-arms to south-west elevation. Plaque in north-west elevation. Inscription to frieze of portico reads: "The Mausoleum of Charles Manners St. George Esq. D. L. and J. P. County Leitrim. 1865". Cast-iron railings with gates and ornate urns to gate piers bound site.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
235	30813027	593814, 799639	Townparks	End of terrace three-bay two-storey house built c.1820	End-of-terrace three-bay two-storey house, built c.1820 with 1990s timber shopfront. Pitched slate roof with rendered chimneystacks and cast-iron rainwater goods. Ruled-and-lined render to walls with plinth and quoins. Timber sash windows with stone sills. Round-headed door opening with timber panelled door, petal fanlight and tooled door surround.
236	30813026	593796, 799651	Townparks	End of terrace three-bay two-storey former Roman Catholic presbytery built c.1880	Now in office use. Pitched slate roof with stone chimneystacks, cast-iron rainwater goods, terracotta ridge cresting and timber bargeboards. Random coursed limestone walls with stone quoins and string course. Modern timber fascia. Tooled limestone chamfered block-and-start window surrounds with torus moulding to soffits, timber sash windows with stone sills. Replacement uPVC windows to ground floor. Stilted four-centred door opening with timber panelled door, overlight, tooled limestone chamfered block-and-start surround and carved hood moulding. Blocked doorway with carved hood moulding in side elevation opening into churchyard.
237		593782, 799636	Townparks	Railings to St Mary's Church	
238	30813024	593785, 799615	Townparks	End of terrace three-bay two-storey house built c.1850 - Moonstone Jewellers & Reynolds Butchers	Integral carriage arch and shopfronts to ground floor. Pitched slate roof with rendered chimneystacks, terracotta pots and cast-iron rainwater goods. Rendered walls with quoins and plinth. Segmental-headed integral carriage arch to east end with timber battened double doors. Segmental-headed door opening with timber panelled door, side and fanlights and console brackets, accessed by concrete and stone steps. Replacement aluminium windows with painted sills to first floor. Two late-twentieth century timber shopfronts to ground floor.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
239	30813021	593739, 799576	Townparks	Corner six-bay three-storey public house - P.Flynn & Co. built c.1900	Corner-sited six-bay three-storey house, with public house to ground floor. Stepped parapet conceals roof with rendered chimneystack. Ruled-and-lined render to walls with rendered quoins, plinth and cornice. Timber sash windows with stone sills and stucco surrounds to first floor. Fixed windows to pubfront with replacement glazed and timber doors and overlights. Fascia board with applied lettering and carved console brackets. Building curves with the street corner.
240		593780, 799445	Townparks	Teagasc, Bridge Street	
241	30813017	593684, 799557	Townparks	Post Office built in 1907	Detached three-bay single-storey Baroque Revival style post office, with six-bay extension to east, added c.1960 and extension to rear. Pitched slate roof with skylights and cast-iron vents concealed by parapet wall with decorative cartouche bearing date. Rendered chimneystacks. Ashlar sandstone facade with rusticated bands to pilasters and lower courses. Dentil cornice supporting parapet with the words 'Post Office' carved into frieze. Square-headed tripartite window openings with yellow brick surrounds and timber top-opening windows. Sandstone doorcase with open-bed pediment, banded pilasters and lugged-and-knead architrave having glazed timber door. Red brick to rear elevation with segmental-headed window, abutted by flat-roofed extension.
242		593693, 799337	Townparks	Hoist, Quayside	
243		593618, 799547	Townparks	Stable Folly, Hatley Manor	

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
244	30813044	594053, 799483	Townparks	Courthouse built in 1997	Detached multiple-bay two-storey court house, completed in 1997 by Stewarts of Galway, to a design by Burke-Kennedy Doyle & Partners. Flat and monopitch rubber-coated roof. Concave façade is clad with reconstituted stone. Rendered side and rear elevations. Canopy supported on steel columns. Cedar-clad oriel window projecting from first floor. Oval courtyard to front with public and private parking to site. Three court rooms to interior.
245		593605, 799611	Townparks	Glasshouse, Hatley Manor	
246		593674, 799374	Townparks	Old Quay Walls, Quayside	
247	30813002	593741, 799331	Townparks	Old Guinness Barrel Store built c. 1870	Detached four-bay two-storey former store house, now a tourist information office. Hipped slate roof with rendered chimneystack. Random coursed limestone walls. Replacement timber casement windows with concrete lintels and stone sills. Replacement glazed timber door with voussiors to segmental-arched opening with block-and-start jambs. Single-storey lean-to extension to west. Cut stone gate pier and cast-iron gate afford access to rear site. Structure fronts directly onto the street.
248		593762, 799342	Townparks	Remains of tower/fort	Fort built in 1611. A fragment of the wall (Wth 1.4m; H 1.4m) amounting to about a quarter of a circular tower survives close to the bridge over the Shannon.
249	30813015	593592, 799540	Townparks	Hatley Manor built c.1830	Detached five-bay two-storey over basement house with Italianate front façade and revived Gothic style rear elevation with slightly-projecting three-stage tower. Now in use as a conference centre. Recessed end bay to front elevation. Roof concealed behind parapet walls. Rendered chimneystacks. Rendered walls with cornice, string course, quoins and pilasters. Tooled stone crenellations to rear elevation and tower. Pedimented

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
					windows to ground floor front facade. Stucco surrounds to window openings with timber sash windows. Stained glass traceried window with hood moulding to tower. Projecting entrance porch with paired Ionic columns and timber panelled double doors. Entrance approached by sandstone steps. Rear elevation has crenellated flat-roofed porch with door. House set within own grounds, bounded by random stone wall with cast-iron gate and railings. Restored outbuildings to eastern yard, accessed from front of site and lane off St. George's Terrace. Curvilinear glasshouse to rear garden, bounded by random coursed stone wall.
250	30813018	593713, 799570	Townparks	Town Clock erected in 1905.	Freestanding clock, stepped sandstone base surmounted by four-sided pillar, supporting a four-faced bronze clock. Rear clock face has been removed. Clock decorated with wrought-iron dressings and bell. Carved panels to base with inscriptions. West panel contains copper door with clock mechanism behind. Base surrounded by bollards and cast-iron chain.
251		593707, 799518	Townparks	Market Yard & Buildings	
252	30813020	593736, 799570	Townparks	Costello Memorial Chapel completed in 1879	Detached gable-fronted single-cell memorial chapel on site of former Methodist chapel. Pitched stone roof constructed of with coping and carved stone cross finials to gables. Ashlar limestone walls with battered plinth, trefoil date plaque and dressings. Segmental-headed door opening with decorative tympanum in pointed-arch surround with carved hood moulding. Paved forecourt to front bounded by cut stone wall and gate piers with cast-iron gates and railings.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
253	30813005	593759, 799455	Townparks	Former town hall built c.1830	Detached five-bay single-storey over raised basement former town hall, built c.1830. Now used as offices. Hipped slate roof with corbels to oversailing eaves. Random coursed cut limestone walls with render to raised basement, tooled stone quoins and recessed panels above openings to facade. Timber sash windows with tooled round-headed block-and-start surrounds and stone sills. Tooled doorcase with entablature and timber panelled door with overlight, approached by perron stairs with wrought-iron handrail. Glazed timber porch to rear with pitched slate roof and bargeboards. Site is bounded by snecked stone wall with cast-iron gate to rear.
254	30813025	593757, 799666	Townparks	St. Mary's Roman Catholic Church built in 1879	Detached gable-fronted Gothic Revival Roman Catholic church. Central nave with side aisles. Four-stage tower to north-west end of elevation with pinnacles, pointed lancets and windows and statue to front face. Fourth stage of tower added in the 1920s. Pitched slate roof with stone cross finials. Random coursed limestone and rock-faced walls with ashlar limestone dressings. Recessed sculpted sandstone tympanum above pointed-arched central double entrance of two orders. Doors separated and flanked by marble colonettes, central supporting statue. Hood moulding and decorative shields over doorway. Doors to tower and east end of façade. Pointed-arched windows with carved stone heads and sills and with yellow brick sides. Four-light traceried window over entrance door with carved stone hood moulding. Three-light traceried window to chancel end. Baptistry to north-west corner with conical roof and with ogee-headed windows. Set on a height over Main Street with limestone steps and limestone and sandstone paving. Churchyard bounded by low ashlar wall with cast-iron railings. Ashlar piers with stone cross finials and cast-iron gates. Bronze sculpture of Madonna and Child, erected in 2000 to side of building, by Manorhamilton artist Jackie McKenna.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
255	30813030	593808, 799750	Townparks	St. George's Church of Ireland built in 1829	Detached cruciform Church of Ireland church, with three-stage entrance tower and vestry attached to east. Pitched slate roof with cast-iron rainwater goods. Castellated tower with spire to west gable. Rendered walls with ruled-and-lined detail and ashlar buttresses. Lancet windows to nave with chamfered limestone surrounds, hood mouldings, cast-iron diamond-paned and stained glass windows. Four-centred window openings to transepts and chancel have intersecting timber tracery and cast-iron diamond-paned windows. Pointed-arched windows with hood mouldings to entrance tower. Four-centred door opening to entrance tower with tooled stone surround and with hood mouldings and decorative stops. Decorative panelled door with overlight. Stained glass by Watson of Youghal. Graveyard with grave markers dating from mid-nineteenth century to present, and Peyton and Will's mausolea. Site enclosed by random coursed wall with carved sandstone heraldic plaque and wrought-iron gates.
256		594031, 799943	Townparks	Former Dispensary	
257	30813039	594070, 799811	Townparks	Former District Hospital built c.1760	Detached five-bay two-storey over basement house, built c.1760, with slightly-projecting end bays. Pedimented breakfront with limestone steps to door. Hipped slate roof with rendered chimneystacks and cast-iron rainwater goods. Roughcast render to walls with stone plat band and plinth. Timber sash windows with stone sills. Tooled limestone Doric doorcase with timber battened door and spoked fanlight in square-headed opening. Cast-iron griffen bootscraper to step. Corrugated-iron extension to rear and timber conservatory to west. Stone and rendered outbuildings to rear. Site bounded by squared random stone wall with cast-iron railings. Rendered gate piers and cast-iron gates to front.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
258	30813042	594395, 800105	Townparks	Summerhill Lodge, former workhouse master's house built in 1841	Detached five-bay two-storey with attic Tudor Gothic former workhouse master's house with two projecting end bays to rear and projecting entrance porch to east end and single-storey extension to rear. Pitched slate roof with gablets and corbels. Rendered chimneystacks. Random coursed stone walls with plinth and string course. Tooled limestone block-and-start surrounds to square-headed openings with replacement uPVC windows and label mouldings to central bay of ground floor. Tooled limestone Tudor arched chamfered door opening with replacement timber door, sidelights, overlight and with label moulding above and flanked by windows with label mouldings. Lamp and date plaque over door. Attic dormers have pitched roofs with carved bargeboards. Building set within its own grounds with random limestone wall with cut stone gate piers.
259	30813007	593668, 799512	Townparks	Former National Irish Bank built c.1880 - 'Red Bank' restaurant	Detached four-bay two-storey over basement. Hipped tiled roof with red brick and stone-dressed chimneystacks. Red brick front and side elevations with sandstone string courses and dressings, and recessed brick panels with torus- moulded surrounds and quoins. Rendered rear elevation with two-storey over basement return. Cambered-arched openings with ovolo-moulded brick surrounds, timber sash windows and sandstone label mouldings to facade. Sandstone balconet to first floor of façade supported by brackets. Round-headed window to side elevation. Carved stone doorcase with overlight and sandstone overdoor. Accessed from pavement via concrete bridge over area. Rendered and stone wall to street with wrought-iron railings.
260	30813016	593640, 799528	Townparks	Terrace of four three-bay two storey houses built c.1820	Currently in both domestic and commercial use. Pitched slate roofs with rendered chimneystacks. Rendered walls with string course to ground floor and stucco quoins. Square-headed window openings with stone sills and timber sash and replacement uPVC windows. Round-headed tooled block-and-start stone door surround with fanlights, timber panelled doors with limestone steps to entrances. Cast-iron bootscrapers to two houses. Two-storey stone and rendered outbuildings to rear. Houses front onto St. George's Terrace.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
261	30813014	593569, 799507	Townparks	Former courthouse built in 1822 - 'The Dock Arts Centre'	Detached five-bay two-storey over basement former court house, built in 1822, currently disused. Roof concealed by parapet wall. Limestone ashlar façade with three-bay breakfront and blind round-headed openings and recessed panels to ends. Rendered side elevations. Timber margined sash windows to round-headed openings to ground floor. Central Wyatt window flanked by timber sash windows to first floor of façade. Round-headed, Wyatt and blind windows to side elevations. Timber panelled door to tooled stone doorcase with carved stone brackets surmounted by cornice. Limestone steps to entrance. Squared limestone wall to north-east with cast-iron gate.
262	30813012	593571, 799464	Townparks	Former jail built c.1810 - Leitrim County Council office	Detached three-bay two-storey former jail guard building, built c.1810. Now used as county council offices. Hipped slate roof behind parapet wall with cast-iron rainwater goods. Ashlar limestone and channelled rustication, recessed panel and string course to facade. Random coursed walls to end and rear elevations. Square-headed window openings recessed within segmental surround containing timber casement windows to façade. Timber sash and blind windows to rear and timber sash windows to end elevations. Recessed tooled stone doorcase with stone brackets supporting frieze and cornice. Timber panelled door with overlight. Round-headed door opening with fanlight and timber door in rear elevation. Modern two-storey extension to north.
263	30813013	593541, 799450	Townparks	Former prison governor's house built c.1810 - Leitrim County Council office	Detached three-bay two-storey over basement former prison governor's house. Roof hidden behind parapet wall. Rendered walls with stone to basement. Square-headed openings with limestone sills and replacement timber sash windows. Recessed round-headed door opening with stone doorcase surround and fanlight. Steps to entrance. Extension to rear joining the building to northern four-bay three-storey former jail building with squared limestone front elevation, pitched slate roof and ashlar entrance: now a window. Detached four-bay three-storey building to west with hipped slate roof,

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
					squared limestone walls with quoins and glass extension to rear. Section of random course wall in situ to south and further remains of walls in car park to south-east.
264		593526, 799473	Townparks	Gaol	
265		593485, 799465	Townparks	Infirmery	
266	30917001	588720, 826734	Glasdrumman More	Detached five bay twostorey farmhouse built c.1760	Detached five-bay two-storey with attic farmhouse with outbuildings to rear yard. Pitched slate roof with rendered chimneystacks and cast-iron rainwater goods. Profiled gutters supported by bracketed eaves course. Rendered walls with lined-and-ruled detail. Timber sash windows with tooled stone sills. Replacement casement windows to rear elevation. Round-headed door opening with replacement timber panelled door and painted glass fanlight. Rear yard enclosed by sweeping wall with niches, pointed-arched door opening and circular gate piers and cornice. Ruined multiple-bay two-storey outbuilding to west of house with random coursed walls. Tooled stone sills to window openings. Stone lintels to window and door openings. Post and lintel opening to coach house. Single-storey range of outbuildings to north of house.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
267		588694, 826757	Glasdrumman More	Ruins of 7 bay, 2 storey former stables	Glasdrumman House, Drumkeeran
268	30816030	609109, 796686	Coolabaun	Narrow Gauge Old Railway Station Mohill	Detached three-bay two-storey triple-pile former railway station, with five-bay single-storey block to north end and return to rear, built c.1885 by the Cavan and Leitrim Railway. Now vacant. Pitched slate roofs with brick chimneystacks, round terracotta chimney pots and ridge cresting. Red brick walls with yellow and blue-grey brick dressings and eaves course. Segmental-headed openings with yellow-brick hood mouldings and timber sash windows. Timber double doors in north block flanked by glazing. Corrugated-iron outbuilding to east with decorative bargeboards and finials. Snecked stone goods shed with pitched slate roof to north, now in use as a builders' providers premises.
269		595899, 806254	Mackan	Lime Kiln	Lime kiln with O'Rourke plaque
270	30930008	625816, 803803	Aghavore	Detached five- bay single- storey with attic thatched house, built c.1820,	Hipped thatched roof swept at gables with raised ridge with decorative scolloping. Limewashed stone walls.
271		621516, 804833	Drumcanon	Drumcanon Mill, Carrigallen	
272	30813019	593733, 799561	Townparks	End-of-terrace two-bay three- storey house, built c.1840,	The modest façade of this terraced house and shop is enhanced by its doorcase with spoked fanlight. The dual function of both retail and public house, reflecting past tradition in Irish towns and villages.

RPS No.	NIAH Reg. No.	ITM	Townland	Description	Detail
				with early-twentieth century shop and public house to ground floor.	
273		611964, 803961	Cornagher	3-arched masonry road bridge	
274		586240, 840510	Lurganboy	Hunting Lodge	