

LEGEND:


- PROPOSED FOUL SEWER MANHOLE F1.0
- PROPOSED FOUL SEWER
- PROPOSED FOUL INSPECTION CHAMBER
ALL INSPECTION CHAMBERS TO BE CONSTRUCTED WITHIN 1m OF PROPERTY BOUNDARY TO DETAIL STD-WW-02 & CONSTRUCTED IN ACCORDANCE WITH DETAILS STD-WW-03 & STD-WW-10. EXACT INSPECTION CHAMBER LOCATION TO BE AGREED ON SITE. IC
- SITE BOUNDARY

ALL MATERIALS USED ARE TO BE APPROVED BY ENGINEER & TO BE IN ACCORDANCE WITH COLLINSBOYD & IRISH WATER SPECIFICATION

NOTES

- 1/ PROPOSED MANHOLE / CHAMBERS LOCATIONS ARE INDICATIVE ONLY. EXACT POSITIONS OF MANHOLES / CHAMBERS TO BE DETERMINED ON SITE.
- 2/ PROPOSED MANHOLE / CHAMBER COVER LEVELS ARE APPROXIMATE ONLY TO BE CONFIRMED ON SITE.
- 3/ CONTRACTOR TO CONFIRM LOCATION OF ALL SERVICES ON SITE.
- 3/ CONTRACTOR TO PROTECT EXISTING SERVICES. ANY SERVICES DAMAGED OR DISRUPTED WILL BE REPAIRED AT CONTRACTORS OWN COST.
- 4/ POSITION & TYPE OF KNOWN SERVICES ARE INDICATIVE ONLY. THE CONTRACTOR MUST CONFIRM EXACT POSITION OF ALL SERVICES BY CARRYING OUT NECESSARY SURVEYS, SLIT TRENCHES & SCANNING PRIOR TO COMMENCEMENT OF WORKS.
- 5/ IN TRAFFICKED AREAS WHERE COVER TO PIPES IS LESS THAN 1.2m, PIPES TO BE ENCASED WITH CONCRETE.
- 6/ PLEASE NOTE THAT ALL FOUL & SURFACE WATER SEWERS PIPES CALLED UP ARE INTERNAL DIAMETERS.
- 7/ ALL MANHOLES IN LANDSCAPED AREAS TO HAVE A CONCRETE PLINTH TO MANHOLE COVER.
- 8/ ALL MANHOLES IN BRICK PAVED AREA TO HAVE RECESSED MANHOLE COVERS.
- 9/ ALL SURFACE WATER PIPES & FITTINGS TO BE TWIN WALL.
- 10/ ALL FOUL SEWER PIPES & FITTINGS TO BE WAVIN S80 DR EQUAL APPROVED. ALL PIPE MATERIAL TO COMPLY WITH IRISH WATER CODE OF PRACTICE DOCUMENT IW-CDS-5030-03 SECTION 3.13.
- 11/ ALL FOUL SEWER WORKS SHALL BE DESIGNED & CONSTRUCTED IN ACCORDANCE WITH IRISH WATER CODE OF PRACTICE DOCUMENT IW-CDS-5030-03 & IRISH WATER STANDARD DETAILS IW-CDS-5030-01.
- 12/ ALL CONNECTION WORKS IN THE PUBLIC SPACE OUTSIDE THE SITE BOUNDARY WILL BE COMPLETED BY THE IRISH WATER REGIONAL CONTRACTOR.
- 13/ PRECAST MANHOLES TO BE AS PER IW STD-WW-10. MANHOLES DEEPER THAN 3m TO BE APPROVED BY IRISH WATER & AS PER IW STD-WW-10.

ORDNANCE SURVEY IRELAND LICENCE NO.EN 0065220
© ORDNANCE SURVEY IRELAND/GOVERNMENT OF IRELAND

<p>Notes:</p> <p>1.This drawing is the copyright Collins Boyd Engineering Ltd. It is a confidential document and must not be copied, used or its contents divulged without prior written permission.</p> <p>2.DO NOT SCALE, use figured dimensions only, if in doubt ask.</p> <p>3.Drawings for Planning Permissions purposes only unless otherwise stated.</p>	Rev	Description	By	Date	 Galway Road Phone: (090) 66 34421 Roscommon Fax: (090) 66 34423 Co.Roscommon Email: info@collinsboydeng.com	<p>Client:</p> SRC	<p>Drawing Title:</p> Foul Drainage	Status: Planning		
								Date: July 2021		
								Scale: 1:500 @ A1		
								Drawn by: BC		
					20.153 SRC Carrick	FOR CONTINUATION REFER TO DRAWING 20.178-103	JOB No.	DRG No.	REV.	
				20.153			1002	PL0		

